

Compressors - Sanden

Section V: Specifications Chart

Listed in ascended order by Sanden Number

SANDEN NUMBER	TAP # COMP.	TAP # CLUTCH	TAP # HEAD	SD MODEL	FITTING		MOUNT	PULLEY		WIRE			
					HEAD	POS.		SIZE	DIA.	GRV.	VOLT	END	SHAFT
4486	03-0427	-	-	7H15HD	WH	SPC'L	Spcl Pad	DIR LNG	119	PV8	12V	2FRD	Spline
4487	03-3733	02-3482	-	7H15SHD	GK	HORIZ	H-PAD	EAR	133	PV8	24V	2CAT	KEY
4488	03-0603	02-1604	03-6533A	7H15HD	JDA	VERT	3/4x7/8	EAR	132	2	12V	2MP	KEY
4489	03-3731	4611-9930	03-6534	7H15SHD	MD	HORIZ	1"-14	EAR	152	2	24V	1	KEY
4490	03-1600	02-0608	-	7H15HD	WV	HORIZ	3/4x7/8	EAR	130	PV8	12V	2MP	KEY
4491	03-0604	02-1604 (10)	03-6533	7H15HD	JD	VERT	3/4x7/8	DIR LNG	132	2	12V	2MP	KEY
4492	03-0606	02-0606 (7)	-	7H15HD	MDA	HORIZ	1"-14	DIR LNG	125	PV6	12V	2MP	Spline
4493	03-1608	02-0608	-	7H15HD	WV	HORIZ	3/4x7/8	DIR SHT	130	PV8	12V	2MP	KEY
4494	03-1605	02-1604	-	7H15HD	WV	HORIZ	3/4x7/8	DIR LNG	132	PV6	12V	2MP	KEY
4495	SD 4495	02-0601	-	7H15HD	GV	HORIZ	GM metric	EAR	119	PV8	12V	2MP	KEY
4496	03-0434	02-0430	-	7H15HD	WJ	SPC'L	Spcl Pad	EAR	119	PV8	12V	2FRD	KEY
4497	03-0435	-	-	7H15HD	SJ	SPC'L	Spcl Pad	EAR	132	2	12V	2FRD	KEY
4498	03-3741	-	-	7H15SHD	KCA	HORIZ	3/4x7/8	DIR LNG	132	PV8	12V	2CAT	KEY
4499	03-3737	-	03-6534	7H15SHD	MD	HORIZ	1"-14	DIR LNG	152	PV8	12V	1P	KEY
4506	03-3409	02-3470	03-6543	5H14HD	FL	VERT	3/4x7/8	EAR	132	2	24V	1	KEY
4507	03-3409	02-3470	03-6543	5H14	FL	VERT	3/4x7/8	EAR	132	2	24V	1	KEY
4508	03-3488	02-3476	03-6543	5H14	FL	VERT	3/4x7/8	EAR	125	PV10	12V	1	KEY
4511	03-3410	02-3469	03-6544	5H14HD	C	VERT	1"-14	EAR	158	1VG	12V	1	KEY
4513	03-3415	02-3064	03-6545	5H14	M	HORIZ	1"-14	EAR	132	2	12V	1	KEY
4514	03-3484	02-3475	03-6543	5H14	FL	VERT	3/4x7/8	EAR	119	PV7	12V	1	KEY
4515	03-3485	02-3469	03-6543	5H14HD	FL	VERT	3/4x7/8	EAR	158	1VG	12V	1	KEY
4516	03-3486	02-3489	03-6543	5H14HD	FL	VERT	3/4x7/8	EAR	158	1VG	24V	1	KEY
4519	03-3421	4877-9932	-	510SHD	QM	HORIZ	H PAD	EAR	138	1	24V	1	KEY
4521	03-3719 w/03-6514	-	-	5H14	M	HORIZ	1"-14	EAR	132	2	24V	-	-
4522	03-3708D w/03-6514	02-3475	-	5H14	M	HORIZ	1"-14	EAR	119	PV7	12V	1	KEY
4523	03-3708D w/03-6514	02-3475	-	5H14	M	HORIZ	1"-14	EAR	119	PV6	12V	1	KEY
4525	03-3709 w/03-6513	02-3064	-	5H14	C	VERT	1"-14	EAR	132	2	12V	-	KEY
4526	03-3496	02-3476	03-6545	5H14	M	HORIZ	1"-14	EAR	125	PV10	12V	1	KEY
4527	03-3719 w/03-6513	02-3470	-	5H14HD	C	VERT	1"-14	EAR	132	2	24V	1	KEY
4529	03-3709 W/03-6513	02-3064	-	5H14HD	C	VERT	1"-14	EAR	132	2	12V	-	KEY
4530	03-3420	02-3087	03-6543	5H14HD	FL	VERT	3/4x7/8	EAR	122	1	12V	1	KEY
4531	03-3708D w/03-6514	02-3475	-	5H14	M	HORIZ	1"-14	EAR	119	PV7	12V	1	KEY
4532	03-3717 w/03-6511	-	-	5H14	FL	VERT	3/4x7/8	EAR	152	2	24V	-	-
4536	03-3709 w/03-6512	02-3064	-	5H14HD	K	HORIZ	3/4x7/8	EAR	132	2	12V	1P	KEY
4537	03-3719 w/03-6512	02-3470	-	5H14HD	K	HORIZ	3/4x7/8	EAR	132	2	24V	1	KEY
4538	03-0625	02-1604 (10)	-	7H15	GH	HORIZ	PAD	DIR	132	2	12V	2MP	KEY
4540	03-0626	02-1604 (10)	-	7H15	spcl	VERT	PAD	DIR	132	2	12V	2MP	KEY
4541	03-0808	(9)	-	7H15	4418	VERT	PAD	DIR	126	PV12	12V	2MP	KEY
4543	03-0616	02-0610S	-	7H15SHDC	GH	HORIZ	PAD	DIR	140	PV8	12V	2MP	-
4544	03-0802	02-0601	-	7H15HD	GWA	HORIZ	PAD	DIR	119	PV8	12V	2MP	KEY
4545	03-3803	-	-	SD7E	KF	HORIZ	1-1/16x3/4	DIR	119	PV8	12V	2	-
4546	03-0801S	02-0606S	-	7H15SHDC	GWA	HORIZ	PAD	DIR	125	PV6	12V	2MP	KEY
4547	03-1874	-	-	7H15	-	-	-	DIR	120	8	12V	2MP	-
4548	03-0617	-	-	7H15	WH	VERT	PAD	DIR	119	PV8	12V	-	-
4549	03-0610S	02-0606S	-	7H15SHDC	GH	HORIZ	PAD	DIR	125	PV6	12V	-	-
4600	03-3492	02-3478	03-6533	7H15SHD	JD	VERT	3/4x7/8	EAR	125	PV6	12V	1P	KEY
4602	03-0420	02-0434	-	7H15	WH	VERT	PAD (U)	DIR	169	1	12V	2FRD	KEY
46023	03-0415	-	-	7H15	WH	VERT	PAD	DIR	-	-	-	-	-
4603	03-0410	02-0431	-	7H15	WJ	SPC'L	Spcl Pad	EAR	132	1	12V	2FRD	KEY
46033	03-0414	-	-	7H15	WJ	HORIZ	PAD	EAR	-	-	-	-	-
4604	03-3729	02-3481	-	7H15SHD	GK	HORIZ	H-PAD	EAR	138.5	1	24V	1CAT	KEY
4608	03-3749	02-3505	-	7H15SHD	GK	HORIZ	H-PAD	EAR	138	1	12V	1B/P	KEY
4609	03-3730	02-3477	03-6534	7H15SHD	MD	HORIZ	1"-14	EAR	152	2	12V	1	KEY
4611	03-3731	02-3504	03-6534	7H15SHD	MD	HORIZ	1"-14	EAR	152	2	24V	1P	KEY
4615	03-0615*	02-0601	-	7H15HD	spcl	VERT	PAD	DIR	119	PV8	12V	2MP	KEY
4616	03-3802	-	-	SD7E FLX	GV	HORIZ	GM metric	EAR	125	2	12V	1B/P	KEY
4617	03-3491	02-3477	03-6534	7H15SHD	MD	HORIZ	1"-14	EAR	152	2	12V	1	KEY
4618	03-1844	02-3498	-	7H15	SJA	HORIZ	Spcl Pad	EAR	119	PV7	12V	2MP	KEY
4626	03-3416	02-3464	03-6533	7H15HD	JD	VERT	3/4x7/8	DIR	132	2	12V	1P	note3
4627	03-3490	02-3063	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	125	2	12V	1P	KEY
4628	03-3414	02-3079	03-6533	7H15	JD	VERT	3/4x7/8	DIR	119	PV6	12V	1	KEY
4637	03-3407	02-3472	03-6540C	7H15SHD	KC	HORIZ	3/4x7/8	EAR	133	PV8	12V	1P	KEY
4639	03-3470	02-3464	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	132	2	12V	1	KEY
4640	03-3732	02-3486	-	7H15SHD	GK	HORIZ	H-PAD	EAR	152	1	24V	2CAT	KEY

NOTE: Refer notes and abbreviations on page 282.

Section V: Specifications Chart

Sanden - Compressors

Listed in ascended order by Sanden Number

SANDEN NUMBER	TAP # COMP.	TAP # CLUTCH	TAP # HEAD	SD MODEL	FITTING		SIZE	MOUNT	PULLEY		WIRE	
					HEAD	POS.			DIA.	GRV.	VOLT	END SHAFT
4641	03-3498	02-3468 (5)	03-6534	7H15	MD	HORIZ	1"-14	DIR	119	PV6	12V	1 KEY
4643	03-3419	02-3464	03-6541	7H15HD	CB	VERT	1"-14	EAR	132	2	12V	1P KEY
4644	03-3470	02-3464	03-6533A	7H15HD	JDA	VERT	3/4x7/8	EAR	132	2	12V	1P KEY
4645	03-3471	02-3468 (5)	03-6533A	7H15HD	JDA	VERT	3/4x7/8	EAR	119	PV7	12V	1P KEY
4646	03-3422	02-3464	-	7H15HD	MJA	HORIZ	1"-14	EAR	132	2	12V	1 KEY
4647	03-3470	02-3464	03-6533A	7H15HD	JDA	VERT	3/4x7/8	EAR	132	2	12V	1 KEY
4652	03-3489	02-3471	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	125	2	24V	1P KEY
4653	03-0436	02-0435	03-6541	7H15	CB	VERT	1"-14	EAR	119	PV6	12V	2FRD KEY
4654	SD 4654	02-3477	03-6533	7H15SHD	JD	VERT	3/4x7/8	EAR	132	2	12V	1W KEY
4655	SD 4727	02-3466	03-6540C	7H15	KC	HORIZ	3/4x7/8	DIR	119	PV6	12V	1 KEY
4656	03-3729	02-3481	-	7H15	GK	HORIZ	3/4x7/8	EAR	138	1	24V	2CAT KEY
4659	03-1612	4659-9931	03-6540C	7H15	KC	HORIZ	3/4x7/8	EAR	130	PV8	12V	1P KEY
4660	03-3784	02-0601 (9)	03-6533A	7H15	JDA	VERT	3/4x7/8	EAR	119	PV8	12V	1P KEY
4661	03-3499	02-3479	03-6540C	7H15SHD	KC	HORIZ	3/4x7/8	EAR	138.5	1	12V	2 KEY
4663	03-3490	02-3063	03-6533	7H15	JD	VERT	3/4x7/8	EAR	125	2	12V	1P KEY
4664	03-3470	02-3464	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	132	2	12V	1P KEY
4665	03-3471	02-3468 (5)	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	119	PV7	12V	1P KEY
4666	03-3418	02-3468	03-6540C	7H15	KC	HORIZ	3/4x7/8	DIR	119	PV8	12V	1P KEY
4667	03-3418	02-3468	03-6540C	7H15	KC	HORIZ	3/4x7/8	DIR LNG	119	PV8	12V	1P KEY
4672	03-3468	02-0601 (9)	-	7H15HD	MDA	HORIZ	1"-14	EAR	119	PV8	12V	1 KEY
4673	03-3509	-	-	7H15SHD	KC	-	-	EAR	132	2	12V	1 -
4675	03-0809	(9)	-	7H15	4018	-	-	DIR	126	12	12V	2MP -
4676	03-3809	-	-	SD7E	GWA	HORIZ	PAD	DIR	119	PV8	12V	2MP -
4678	03-0806	-	-	7H15	JDA	-	-	DIR	126	12	12V	1WP -
4685	SD 4727	02-3466	03-6540C	7H15	KC	HORIZ	3/4x7/8	DIR	119	PV6	12V	1 KEY
4687	03-0600	02-0606 (8)	-	7H15HD	CBA	VERT	1"-14 PRV	DIR	125	PV6	12V	1WP KEY
4691	SD 4691	02-3466	-	7H15	GN	-	-	DIR	119	PV6	12V	1 KEY
4693	SD 4693	-	-	7H15	SJ	-	-	DIR	120	6	12V	- -
4694	03-1611	02-1604	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	132	2	12V	2MP KEY
4695	03-0604	02-1604	03-6533A	7H15HD	JDA	VERT	3/4x7/8	DIR	125	2	12V	2MP KEY
4696	03-1001C	02-1002	-	7H15HD	GQ	Later'l	3/4x7/8	EAR	125	2	12V	2MP KEY
4698	03-3800	-	-	7H15SHD	JD	VERT	3/4x7/8	DIR	133	PV8	12V	1WP KEY
4699	03-1604	02-1604	03-6533	7H15HD	JD	VERT	3/4x7/8	DIR	132	2	12V	2MP KEY
4700	03-1601	02-0608	03-6540C	7H15	KC	HORIZ	3/4x7/8	EAR	130	PV8	12V	2MP KEY
4702	SD 4727	02-3466	03-6540C	7H15	KC	HORIZ	3/4x7/8	DIR	119	PV6	12V	1 KEY
4704	03-0435	02-3503	-	7H15	SJ	SPC'L	SpC'l Pad	EAR	132	2	12V	2FRD KEY
4705	03-1400	02-0601	-	7H15HD	GQ	LATER'L	3/4x7/8	EAR	119	PV8	12V	2MP KEY
4707	03-1857	02-3468	-	7H15	QC	HORIZ	GM PAD	EAR	119	PV8	12V	1P KEY
4708	03-1858	02-3063	-	7H15	QC	HORIZ	GM PAD	EAR	125	2	12V	1P KEY
4709	03-3440	02-3063	03-6540G	7H15	KG	HORIZ	3/4x7/8	EAR	125	2	12V	1 KEY
4710	03-3441	02-3468	-	7H15	CB	VERT	1"-14	EAR	119	PV8	12V	1 KEY
4711	03-3784	02-3468	03-6533	7H15	JD	VERT	3/4x7/8	EAR	119	PV8	12V	1P KEY
4712	03-3722	02-3468	03-6540G	7H15	KG	HORIZ	3/4x7/8	EAR	119	PV8	12V	1 KEY
4713	03-1403	02-1002	-	7H15HD	JDA	VERT	3/4x7/8	EAR	125	2	12V	2MP KEY
4714	03-0907	-	-	7H15	SJA	-	-	EAR	105	1B	12V	spec'l -
4715	03-1603	02-1602 (2)	-	7H15	WV	HORIZ	3/4x7/8	DIR	132	2	12V	2MP note 2
4716	03-1600	02-0608	-	7H15	WV	HORIZ	3/4x7/8	EAR	130	PV8	12V	2MP KEY
4717	03-1602	02-1604	-	7H15	WV	HORIZ	3/4x7/8	EAR	132	2	12V	2MP KEY
4718	03-0434	02-0430 (10)	-	7H15	WJ	HORIZ	SpC'l Pad	EAR	119	PV8	12V	2FRD KEY
4720	03-3813	-	-	SD7E	spc'l	VERT	PAD	DIR	119	PV8	12V	2MP -
4726	03-3733	02-3482	-	7H15SHD	GK	HORIZ	H-PAD	EAR	132	PV8	24V	2CAT KEY
4727	SD 4727	-	03-6540C	7H15HD	KC	HORIZ	3/4x7/8	DIR	119	PV6	12V	- -
4730	03-0421*	-	-	7H15	WH	VERT	PAD (U)	DIR	119	PV8	12V	2FRD Spline
4731	03-1401	02-1606 (7)	-	7H15HD	GSA	VERT	3/4x7/8	DIR	125	PV6	12V	2MP Spline
4733	03-1608	02-1609	-	7H15HD	WV	HORIZ	3/4x7/8	DIR	130	PV8	12V	2MP Spline
4734	03-0601	02-0601	-	7H15HD	MJA	HORIZ	1"-14	EAR	119	PV8	12V	2MP KEY
4735	03-0602	02-1604	-	7H15HD	MDA	HORIZ	1"-14	EAR	132	2	12V	2MP KEY
4736	03-0603	02-1604	03-6533A	7H15HD	JDA	VERT	3/4x7/8	EAR	132	2	12V	2MP KEY
4737	03-3510	-	-	7H15	GK	-	-	EAR	119	8	12V	2CAT -
4738	03-3511	-	-	7H15SHD	JD	-	-	EAR	133	8	12V	2MP -
4739	03-1402	02-0609 (7)	03-6540G	7H15HD	KG	HORIZ	3/4x7/8	EAR	119	PV8	12V	2MP Spline
4740	03-1403	02-0602 (7)	03-6533A	7H15HD	JDA	VERT	3/4x7/8	EAR	125	2	12V	2MP Spline
4741	03-3724	02-3471	-	7H15HD	JD	VERT	PAD	EAR	125	2	24V	1 KEY
4742	03-3727	02-3471	03-6540G	7H15HD	KG	HORIZ	3/4x7/8	EAR	125	2	24V	1 KEY

NOTE: Refer notes and abbreviations on page 282.

Compressors - Sanden Section V: Specifications Chart

Listed in ascended order by Sanden Number

SANDEN NUMBER	TAP # COMP.	TAP # CLUTCH	TAP # HEAD	SD MODEL	FITTING		MOUNT	PULLEY		WIRE			
					HEAD	POS.		SIZE	DIA.	GRV.	VOLT	END	SHAFT
4883	03-1200	02-0606	03-6533	7H15	JD	VERT	3/4x7/8	DIR LNG	125	PV6	12V	2MP	KEY
4885	03-0433	02-0439	-	7H15	MJA	HORIZ	1"-14	DIR LNG	130	PV8	12V	2MP	KEY
4890	03-1603	02-1604	-	7H15	WV	HORIZ	3/4x7/8	DIR	132	2	12V	2MP	KEY
4891	03-1605	4891-9931	-	7H15	WV	HORIZ	3/4x7/8	DIR LNG	132	2	12V	2MP	-
4892	03-1608	4892-9931	-	7H15	WV	HORIZ	3/4x7/8	DIR SHT	130	PV8	12V	2MP	KEY
4893	03-1602	02-1604	-	7H15	WV	HORIZ	3/4x7/8	EAR	132	2	12V	2MP	KEY
4894	03-3416	02-3464 (7)	03-6533	7H15	JD	VERT	3/4x7/8	DIR	132	2	12V	1	KEY
4895	03-0608	4895-9931	03-6540C	7H15	KC	HORIZ	3/4x7/8	EAR	130	PV8	12V	1P	KEY
4896	03-3490	02-3502	03-6533	7H15	JD	VERT	3/4x7/8	EAR	125	2	12V	1P	KEY
4897	03-3512	(9)	-	7H15	KCA	-	-	DIR	125	6	12V	2MP	-
4969	SD 4969	-	-	TRS090	-	-	-	DIR	111	PV6	12V	-	-
4975	SD 4975	-	-	TRSA09	-	-	-	DIR	101	PV6	12V	-	-
4976	SD 4976	-	-	TRSA09	-	-	-	DIR	103	PV6	12V	-	-
4979	03-0308	-	-	TRS105	-	-	-	DIR	95	PV7	12V	-	-
4987	SD 4987	-	-	TRS090	-	-	BodyPort	-	109	PV4	12V	-	-
5072	03-3400	-	03-6543	5H09	FL	VERT	3/4x7/8	EAR	125	2	12V	1	KEY
5073	03-3408	-	03-6543	5H09	FL	VERT	3/4x7/8	EAR	125	2	24V	1	KEY
5077	03-3406	-	-	5H09	K	-	-	EAR	125	2	12v	1	KEY
5407	03-3009	02-3470	03-6503	508HD	FG	VERT	3/4x7/8	EAR	132	2	24V	1	KEY
5415	03-0411	02-3476	03-6503	508	FG	VERT	3/4x7/8	EAR	125	PV10	12V	1	KEY
5424	03-3008	02-3064	03-6503	508	FG	VERT	3/4x7/8	EAR	132	2	12V	1	KEY
5706	03-1835	02-3498	-	510HD	QH	HORIZ	PAD	EAR	119	PV7	12V	2FRD	KEY
57093	03-0406	-	-	510HD	FQ	VERT	3/4x7/8	EAR	-	-	-	-	KEY
5725	03-3008	02-3064	-	510HD	B	VERT	3/4x7/8	EAR	132	2	12V	1	KEY
57303	03-0408	-	-	510HD	WF	VERT	PAD	EAR	-	-	-	-	KEY
5746	03-3020	-	-	7H15HD	FG	VERT	3/4x7/8	EAR	122	1	12V	2FRD	KEY
5747	03-3085	02-3469	03-6503	510HD	FG	VERT	3/4x7/8	EAR	158	1VG	12V	1	KEY
6627	03-3409	02-3470	03-6543	5H14	FL	VERT	3/4x7/8	EAR	132	2	24V	1	KEY
6629	03-3484	02-3475	03-6543	5H14	FL	VERT	3/4x7/8	EAR	119	PV7	12V	1	KEY
6630	03-3440A	02-3064	-	5H14	K	HORIZ	3/4x7/8	EAR	132	2	12V	-	KEY
6631	03-3415	02-3064	03-6545	5H14	M	HORIZ	1"-14	EAR	132	2	12V	1	KEY
6632	03-3719 w/03-6514	02-3470	5H14	M	HORIZ	1"-14	EAR	132	2	24V	1	KEY	
6634	03-3483	02-3470	03-6546	5H14	K	HORIZ	3/4x7/8	EAR	132	2	24V	1	KEY
6642	03-3709 w/03-6513	02-3064	5H14	C	VERT	1"-14	EAR	132	2	12V	-	KEY	
6655	03-3708D w/03-6514	02-3475	5H14	M	HORIZ	1"-14	EAR	119	PV7	12V	1	KEY	
6656	03-3706 w/03-6514	02-3476	5H14	FL	VERT	3/4x7/8	EAR	125	PV10	12V	1	KEY	
6665	03-3409	02-3470	03-6543	5H14	FL	VERT	3/4x7/8	EAR	132	2	24V	1	KEY
6667	03-3719 w/03-6513	02-3470	5H14	C	VERT	1"-14	EAR	132	2	24V	1	KEY	
6670	03-3496	02-3476	-	5H14	M	HORIZ	1"-14	EAR	125	PV10	12V	1	KEY
6671	03-3410	02-3469	03-6544	5H14	C	VERT	1"-14	EAR	158	1VG	12V	1	KEY
6672	03-3486	02-3489	03-6543	5H14	FL	VERT	3/4x7/8	EAR	158	1VG	24V	1	KEY
6673	03-3485	02-3469	03-6543	5H14	FL	VERT	3/4x7/8	EAR	158	1VG	12V	1	KEY
6674	03-3420	02-3087	03-6543	5H14	FL	VERT	3/4x7/8	EAR	122	1	12V	1	KEY
6675	03-3708D w/03-6514	02-3475	5H14	M	HORIZ	1"-14	EAR	119	PV6	12V	1	KEY	
6676	03-3440A	02-3064	-	5H14	K	HORIZ	3/4x7/8	EAR	132	2	12V	1P	KEY
6677	03-3709 w/03-6513	02-3064	5H14	C	VERT	1"-14	EAR	132	2	12V	-	KEY	
6678	03-3709 w/03-6513	02-3064	5H14	C	VERT	1"-14	EAR	132	2	12V	-	KEY	
6679	03-3717 w/03-6511	03-6543	5H14	FL	VERT	3/4x7/8	EAR	152	2	24V	-	-	
6680	03-3440A	02-3470	-	5H14	K	HORIZ	3/4x7/8	EAR	132	2	24V	1	KEY
7170	03-3824	-	-	7B10	-	-	-	EAR(swing)	115	2	12V	1	-
7344	03-3531	-	-	SD7H13	WM	-	-	DIR	125	1A	24V	spec'l	-
7351	03-3532	-	-	SD7H13	WM	-	-	-	146	1B	24V	spec'l	-
7360	03-3533	-	-	SD7H13	WL	-	-	DIR	146	1B	24V	spec'l	-
7361	03-3534	-	-	SD7H13	WL	-	-	-	125	1A	24V	spec'l	-
7803	03-1843	02-1002	-	7H15	SJ	SPC'L	Spcl Pad	EAR	125	2	12V	2MP	KEY
7804	03-0421	02-0430	-	7H15HD	WH	SPC'L	Spcl Pad	DIR LNG	119	PV8	12V	2FRD	KEY
7819	03-3480	02-3063	03-6534	7H15	MD	HORIZ	1"-14	EAR	125	2	12V	1P	KEY
7822	03-3468	02-3468	03-6534	7H15	MD	HORIZ	1"-14	EAR	119	PV8	12V	1	KEY
7864	03-3708D w/03-6512	02-3466	7H15	-	-	-	-	EAR	119	PV6	12V	1	KEY
8017	03-3712 w/03-6511	-	7H15	-	-	-	-	EAR	-	-	-	-	KEY
8025	03-3708D w/03-6512	02-3466	7H15	-	-	-	-	EAR	119	PV6	12V	1	KEY
8045	03-3513	-	-	7H15	WZ	-	-	EAR	132	2	24V	spec'l	-
8069	03-3514	-	-	7H15	FZ	-	-	EAR	132	2	24V	Volvo	-
8088	03-3411	-	-	7H15HD	QC	HORIZ	-	EAR	140	2	12V	1	KEY

NOTE: Refer notes and abbreviations on page 282.

Section V: Specifications Chart

Sanden - Compressors

Listed in ascended order by Sanden Number

SANDEN NUMBER	TAP # COMP.	TAP # CLUTCH	TAP # HEAD	SD MODEL	FITTING		SIZE	MOUNT	PULLEY		WIRE	
					HEAD	POS.			DIA.	GRV.	VOLT	END SHAFT
4743	03-3726	02-3471	03-6541	7H15HD	CB	VERT	1"-14	EAR	125	2	24V	1 KEY
4744	03-3728	02-3471	03-6534	7H15HD	MD	HORIZ	1"-14	EAR	125	2	24V	1 KEY
4745	03-3444	-	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	158	1VG	24V	1 KEY
4746	03-3725	02-3480	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	158	1VG	12V	1 KEY
4747	03-3721	02-3480	03-6541	7H15HD	CB	VERT	1"-14	EAR	158	1VG	12V	1 KEY
4752	03-0604	02-1604 (10)	03-6533	7H15HD	JD	VERT	3/4x7/8	DIR LNG	132	2	12V	2MP KEY
4753	03-0437	-	-	7H15	SJ	VERT	PAD	EAR	119	PV8	12V	2FRD -
4754	03-1859	-	-	7H15	WH	VERT	PAD	DIR	130	7	12V	2 -
4756	03-0605	02-1606	-	7H15HD	CBA	VERT	1"-14 PRV	DIR	125	PV6	12V	2MP Spline
4757	03-1605	02-1606	-	7H15HD	WV	HORIZ	3/4x7/8	DIR	125	PV6	12V	2MP Spline
4759	03-1404	02-0609 (7)	-	7H15HD	GQ	LATER'L	3/4x7/8	DIR	119	PV8	12V	2MP Spline
4761	03-0606	02-1606	-	7H15HD	MDA	HORIZ	1"-14	DIR LNG	125	PV6	12V	2MP Spline
4762	03-3718A	-	-	7H15HD	JD	VERT	3/4x7/8	EAR	123	PV8	24v	1 -
4763	03-3718 w/03-6513	-	-	7H15HD	CB	VERT	1"-14	EAR	119	PV8	24V	- -
4764	03-3718 w/03-6514	-	-	7H15HD	MD	HORIZ	1"-14	EAR	119	PV8	24V	- -
4765	03-3718 w/03-6512	-	03-6540G	7H15HD	KG	HORIZ	3/4x7/8	EAR	119	PV8	24V	- -
4766	03-0438	-	-	7H15HD	SJ	SPC'L	Spc'l Pad	DIR SHT	119	PV8	12V	1FRD -
4767	03-0427	-	-	7H15HD	WH	SPC'L	Spc'l Pad	DIR LNG	119	PV8	12V	2FRD Spline
4768	03-3737	02-3510	03-6534	7H15SHD	MD	HORIZ	1"-14	DIR LNG	152	PV8	12V	1P KEY
4769	03-3738	02-3482	-	7H15SHD	GK	HORIZ	H-PAD	DIR LNG	132	PV8	24V	2CAT KEY
4775	03-0306	-	-	7H15	GH	HORIZ	PAD	DIR	119	PV8	12V	- -
4776	03-0607	02-0609	-	7H15HD	MJA	HORIZ	1"-14	DIR LNG	119	PV8	12V	2MP Spline
4777	03-1602	02-1602	-	7H15HD	WV	HORIZ	3/4x7/8	EAR	132	2	12V	2MP Spline
4778	03-1603	02-1602 (2)	-	7H15HD	WV	HORIZ	3/4x7/8	DIR	132	2	12V	2MP note2
4779	03-3702 w/03-6511	-	-	7H15HD	JD	VERT	3/4x7/8	EAR	125	2	12V	1B/P Spline
4780	03-3416	-	03-6533	7H15HD	JD	VERT	3/4x7/8	DIR	132	2	12V	1 Spline
4781	03-0608	02-3487	03-6540C	7H15HD	KC	HORIZ	3/4x7/8	EAR	130	PV8	12V	1P Spline
4785	03-0305	-	-	7H15	GF	-	-	DIR	130	PV7	12V	2MP -
4792	03-1405	02-1606 (7)	-	7H15	GQ	LATER'L	3/4x7/8	DIR	125	PV6	12V	2MP Spline
4793	SD 4793	02-0606	-	7H15	GWA	-	-	DIR	125	PV6	12V	2MP KEY
4795	03-3740	-	03-6534	7H15SHD	MD	HORIZ	1"-14	DIR LNG	152	PV8	24v	1P KEY
4800	03-3808T	-	-	SD7E FLX	GV	HORIZ	GM metric	DIR	119	PV8	12V	1 -
4802	03-0618	02-0610S	-	7H15SHD	spc'l	VERT	PAD	DIR	140	PV8	12V	2MP -
4803	03-0810	(9)	-	7H15HD	4418	VERT	PAD	DIR	125	PV6	12V	2MP -
4804	03-0619	NSS	-	7H15SHD	spc'l	VERT	PAD	DIR	126	PV10	12V	2MP -
4805	03-3808	-	-	SD7E FLX	GV	HORIZ	GM metric	EAR	119	PV8	12V	1 -
4806	03-3820	-	-	EN-SPRHD	KCA	-	-	DIR	133	8	12V	2CAT -
4808	03-0620	02-0601S	-	7H15SHD	MDA	HORIZ	1"-14	DIR	119	PV8	12V	2MP -
4810	03-0432	02-3506 (7)	-	7H15	WJ	SPC'L	Spc'l Pad	DIR LNG	125	PV6	12V	2FRD Spline
4813	03-3741	-	-	7H15SHD	KCA	HORIZ	3/4x7/8	DIR LNG	132	PV8	12V	2CAT KEY
4815	03-0801	02-1606	-	7H15	GWA	-	-	DIR	125	PV6	12V	2MP Spline
4816	03-0802	02-0609 (7)	-	7H15	GWA	HORIZ	PAD	DIR	119	PV8	12V	2MP Spline
4817	SD 4817	-	-	7H15	MJA	HORIZ	1"-14	DIR LNG	119	PV8	12V	2MP KEY
4818	03-0609	02-0601	-	7H15	GH	HORIZ	H-PAD	DIR	119	PV8	12V	2MP KEY
4819	03-0610	02-0606	-	7H15	GH	HORIZ	H-PAD	DIR LNG	125	PV6	12V	2MP KEY
4820	03-0611	02-0601	-	7H15	GH	HORIZ	H-PAD	EAR	119	PV8	12V	2MP KEY
4821	03-0612	02-1604	-	7H15	GH	HORIZ	H-PAD	EAR	132	2	12V	2MP KEY
4822	03-0803	02-0601	03-6533A	7H15	JDA	VERT	3/4x7/8	DIR	119	PV8	12V	2MP KEY
4823	03-1607	02-1608	03-6540C	7H15	KC	HORIZ	3/4x7/8	DIR SHT	130	PV8	12V	1P Spline
4825	03-0307	-	-	7H15	GRA	VERT	PAD	SWING	130	PV6	12V	- -
4840	03-3747	-	-	7H15SHD	GK	HORIZ	H-PAD	DIR LNG	152	PV8	24V	2CAT KEY
4846	SD 4846	-	-	7H15	GF	-	-	DIR	130	PV7	12V	- -
4854	SD 4854	-	-	7H15	GZA	-	-	SWING	130	PV6	12V	- -
4860	03-3702	02-1002	-	7H15-FLX	GV	HORIZ	GM metric	EAR	125	2	12V	1B/P KEY
4862	03-3712	02-3471*	-	7H15-FLX	GV	HORIZ	GM metric	EAR	125	2	24V	1B/P KEY
4864	03-3708	02-0601	-	7H15-FLX	GV	HORIZ	GM metric	EAR	119	PV8	12V	1B/P KEY
4866	03-3718	02-3508	-	7H15-FLX	GV	HORIZ	GM metric	EAR	119	PV8	24V	1B/P KEY
4868	03-3704	02-3469	-	7H15-FLX	GV	HORIZ	GM metric	EAR	158	1VG	12V	1B/P KEY
4870	03-3714	02-3499	-	7H15-FLX	GV	HORIZ	GM metric	EAR	158	1VG	24V	1B/P KEY
4872	03-3706	4872-9930	-	7H15-FLX	GV	HORIZ	GM metric	EAR	125	PV10	12V	1B/P KEY
4874	03-3708D	02-3507	-	7H15-FLX	GV	HORIZ	GM metric	EAR	119	PV8	12V	1B/P KEY
4875	03-3707	02-3500	-	7H15-FLX	GK	HORIZ	H-PAD	EAR	138	1	12V	1B/P KEY
4877	03-3713	02-3501	-	7H15-FLX	GV	HORIZ	H-PAD	EAR	138	1	24V	1B/P KEY
4881	03-3717	02-3504	-	7H15-FLX	GV	HORIZ	GM metric	EAR	152	2	24V	1B/P KEY

NOTE: Refer notes and abbreviations on page 282.

Compressors - Sanden Section V: Specifications Chart

Listed in ascended order by Sanden Number

SANDEN NUMBER	TAP # COMP.	TAP # CLUTCH	TAP # HEAD	SD MODEL	FITTING		SIZE	MOUNT	PULLEY		WIRE	
					HEAD	POS.			DIA.	GRV.	VOLT	END SHAFT
8103	03-3784	02-3468	03-6533	7H15	JD	VERT	3/4x7/8	EAR	119	PV8	12V	1 KEY
8104	03-3470	02-3464	03-6533	7H15HD	JD	VERT	3/4x7/8	EAR	132	2	12V	1 KEY
8105	03-3414	02-3079	03-6533	7H15	JD	VERT	3/4x7/8	DIR	119	PV6	12V	1 KEY
8107	03-3729	02-3481	-	7H15SHD	GK	HORIZ	H-PAD	EAR	138.5	1	24V	1CAT KEY
8108	03-3749	02-3505	-	7H15SHD	GK	HORIZ	3/4x7/8	EAR	138	1	12V	1 KEY
8109	03-3732	02-3486	-	7H15SHD	GK	HORIZ	H-PAD	EAR	152	1	24V	2CAT KEY
8112	03-3515	-	-	7H15	WZ	-	-	DIR	132	8	24V	Volvo -
8147	SD 8147	-	-	7H15	QC	-	-	DIR	112	4	12V	- -
8148	SD 8148	-	-	7H15	WV	-	-	DIR	112	4	12V	- -
8390	SD 8390	02-3064	-	508	B	VERT	FLARE	EAR	132	2	12V	1 KEY
8399	SD 8399	02-3064	-	508	B	VERT	FLARE	EAR	132	2	24V	1 KEY
8901	03-3535	-	-	SD7H13	KG	-	-	-	119	8	12V	- -
9026	03-3015	02-3064	03-6545	508HD	M	HORIZ	1"-14	EAR	132	2	12V	1 KEY
9056	SD 9056	-	-	505	E	VERT	FLARE	EAR	125	2	12V	1 KEY
9103	SD 9103	02-3064	-	510HD	B	VERT	FLARE	EAR	132	2	12V	1 KEY
9105	SD 9105	02-3470	-	510HD	B	VERT	FLARE	EAR	132	2	24V	1 KEY
9112	03-3516	02-3469	-	510HD R12	B	VERT	3/4x7/8	EAR	152	1B	12V	1W KEY
9114	03-3023	02-3064	03-6544	510HD	C	VERT	1"-14	EAR	132	2	12V	1 KEY
9119	03-3010	02-3469	03-6544	510HD	C	VERT	1"-14	EAR	158	1VG	12V	1 KEY
9120	03-3008	02-3064	03-6503	510HD	FG	VERT	3/4x7/8	EAR	132	2	12V	1 KEY
9122	03-3012	02-3489	03-6544	510HD	C	VERT	1"-14	EAR	158	1VG	24V	1 KEY
9285	03-3005	02-3064	03-6503	508	FG	VERT	3/4x7/8	EAR	132	2	12V	1 KEY
9513	03-0411	02-3476	-	508	B	VERT	3/4x7/8	EAR	125	PV10	12V	1 KEY
9514	03-3020	02-0423	03-6503	508HD	FG	VERT	3/4x7/8	EAR	122	1	12V	1 KEY
9515	03-3490*	02-3064	03-6503	508HD	FG	VERT	3/4x7/8	EAR	132	2	12V	1 KEY
9537	03-3084	02-3078	03-6503	508	FG	VERT	3/4x7/8	EAR	119	PV7	12V	1 KEY
9548	03-1833	02-3064	-	510HD	QH	HORIZ	PAD	EAR	132	2	12V	1 KEY
9563	03-1833	02-3064	-	508HD	QH	HORIZ	H PAD	EAR	132	2	12V	1 KEY
9570	SD 9570	-	-	508HD R12	M	-	-	EAR	119	7	12V	1W -
9583	03-3020	02-0423	03-6503	508HD	FG	VERT	3/4x7/8	EAR	122	1 OH	12V	1 KEY
9592	03-3065	02-3087	03-6545	508HD	M	HORIZ	1"-14	EAR	122	1	12V	1 KEY
95943	03-0405	02-0423	-	508	FQ	-	-	EAR	122	1 OH	12V	2FRD KEY
9669	03-1833	02-3064	-	508HD	QH	HORIZ	PAD	EAR	132	2	12V	1 KEY
9674	03-3009	02-3470	03-6503	510HD	FG	VERT	3/4x7/8	EAR	132	2	24V	1 KEY
9675	03-3085	02-3469	03-6503	510HD	FG	VERT	3/4x7/8	EAR	158	1VG	12V	1 KEY
9676	03-3086	02-3489	03-6503	510HD	FG	VERT	3/4x7/8	EAR	158	1VG	24V	1 KEY
9680	03-3010	02-3469	03-6544	510HD	C	VERT	1"-14	EAR	158	1VG	12V	1P KEY
9684	03-3421	4877-9932	-	510HD	QM	HORIZ	GM PAD	EAR	138	1	24V	1 KEY
9689	03-1833	02-3064	-	510HD	QF	HORIZ	H PAD	EAR	132	2	12V	1 KEY
9694	03-3008	02-3064	-	510HD	FG	VERT	3/4x7/8	EAR	132	2	12V	1P KEY

Notes:

- * OE Head has PRV, ours does not
- 1) Information, at current time
- 2) 4778 splined (4777-9931 clutch), 4715 keyed (4694-9931 clutch)
- 3) 4626 keyed (4626-9931 clutch), 4780 splined (4780-9931 clutch)
- 4) OE version 2wire Ford connector, Aftermarket is 1wire bullet
- 5) Use 8 groove clutch (02-3468)
- 6) Universal GM Pad used with manifold
- 7) Splined type clutch only (check OE clutch)
- 8) Keyed type clutch only (check OE clutch)
- 9) OE has diode
- 10) OE has diode, Reuse Harness
- (-) DESIGNATES CALL FOR AVAILABILITY

Abbreviations:

- 1 = single wire bullet connector
- 1B/P = single wire with FLX7 combination bullet/packard conn., can use with 03-6550 dual harness conn.
- 1P = single wire packard connector
- 1WP = single wire Weatherpack connector
- 2CAT = two wire Cat. OE connector
- 2FRD = two wire Ford OE connector
- 2MP = two wire Metropack connector
- NSS = Not Sold Separately
- DIR LNG = Direct Long
- DIR SHT = Direct Short
- PRV = Pressure Relief Valve



When replacing an R12 compressor with an R134a type you will need to do the following:

Since **ALL** R134a compressors do not contain service (schrader) ports needed to hook up manifold gauge hoses for servicing and charging, the additional purchase of R134a service ports are required. (The ports required are compressor specific, relating to the style of head where the A/C hoses are attached). Once the head style is determined, the ports simply are attached to the compressor fittings. See page 445.