

# INFASCO CAP SCREWS

*The Bolt of Choice for the Heavy Equipment Industry*

Infasco is the largest manufacturer of Grade 5 and Grade 8 Cap Screws in North America. They are accepted and used by all branches of the Federal Government as well as GM, Ford, GE, Westinghouse, General Dynamics and many other national and international companies.

**With Infasco Cap Screws, our customers will be in full compliance with the new "Fastener Quality Act" (Public Law 101-592).**



**Grade 8 Infasco Fastener**



**Grade 5 Infasco Fastener**

**U.S. GOVERNMENT  
APPROVED**

**Infasco Bolts are Original Equipment on both MACK and CATERPILLAR Products**

# INFASCO FASTENERS VS. PRIVATE BRAND FASTENERS

Some nut and bolt distributors have fasteners made with their own private head markings. This is costly to them and to their customers. But, do you get anything more even though you are paying more?



**INFASCO  
FASTENERS**



**PRIVATE HEAD  
FASTENERS**

Highest quality at a fair price - All certified bolts must meet the same industry standards.

Infasco is Original Equipment for many well known manufacturers, such as: Caterpillar and

Infasco's triangle trade mark is easily identifiable and traceable. Their bolts are widely accepted by government and industry.

Infasco is a certified member of the American Association for Laboratory Accreditation.

You have the assurance of correct and consistent testing methods.

Higher price without any increase in quality.

Private heads are never used as original equipment.

Private headed bolts mask the identity of the maker. Not only can the manufacturer change from one year to the next, but bolts could even be made overseas without your knowledge.

Private headed bolts must always be fully tested and certified. But, if you don't have a testing laboratory, then what do you do?

Protect yourself - Do not rely on impressive looking unscientific tests performed in your shop. Insist on Standardized procedures which meet accepted requirements.

# **Our Grade-8 Fastening System** ***is Your Solution to Counterfeit Bolts***

With Our Grade 8 Fastening System



## **YOU GET...**

- ★ **QUALITY ASSURANCE**
- ★ **SAFETY**
- ★ **RELIABILITY**
- ★ **DEPENDABILITY**

---

**All Our Grade-8 Fasteners are Manufactured  
in North America by the Biggest Manufacturer of  
Standard Fasteners *in the World.***

---

With Our Grade 8 Fastening System



## **YOU AVOID...**

- ★ **DOWN TIME**
- ★ **INCREASED COSTS**
- ★ **POTENTIAL LIABILITY**
- ★ **COUNTERFEIT  
HARDWARE**

**Be Smart, Be Safe. Choose The Best.**  
**The Top Quality, Safe and Reliable Grade-8 Fastening System.**

# Grade-8 Fastening System

***is Your Solution to these problems.***

*In today's hi-tech, competitive world,  
equipment has more power, speed and  
sophistication than ever before.*

*That's why*

**YOU NEED...**

**Our Dependable** Grade-8 Fasteners.

*Since the current business environment requires  
an even better bottom line, you must take into  
account TOTAL COST, not just price.*

*That's why*

**YOU NEED...**

**Our** Fastening System. Our Grade-8 Fasteners  
**Reduce Downtime** and Overall **Maintenance Costs.**

*Everyone is becoming aware of the problem of  
imported counterfeit bolts.*

*That's why*

**YOU NEED...**

**Us,** The fastener supplier you can rely on  
for **original equipment quality.**


*Because of increasing liability problems today,  
sound business practice demands that safety  
becomes a top priority.*

*That's why*

**YOU NEED...**

**Our Grade-8 Fastening System.**

# HEX HEAD CAP SCREWS



### THREADS PER INCH

DIAMETER →	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1
USS	20	18	16	14	13	12	11	10	9	8
SAE	28	24	24	20	20	18	18	16	14	14

### TECHNICAL DATA


HEX HEAD MARKING	MARKING SPECIFICATION AND GRADE	AISI, ASTM OR SAE No.	MATERIAL TYPE	PHYSICAL PROPERTIES			
				FOR FASTENER DIA. INCHES	PROOF LOAD (PSI)	TENSILE STRENGTH (MIN. PSI)	ROCKWELL HARDNESS
	No Marking GRADE 1	C-1010 C-1020	Low Carbon Steel	1/4 thru 1-1/2	33,000	60,000	B-100 max.
	No Marking GRADE 2	C-1018 C-1020	Low Carbon Steel	1/4 thru 3/4 7/8 thru 1-1/2	55,000 33,000	74,000 60,000	B-100 max.
	3 Radial Lines GRADE 5	C-1038	Medium Carbon Steel Quenched & Tempered (Heat Treated)	1/4 thru 1 over 1 to 1-1/2	85,000 74,000	120,000 105,000	C25-34 C19-30
	6 Radial Lines GRADE 8	8735 8740	Medium Carbon Alloy Steel, Quenched & Tempered	Up to 1-1/2	120,000	150,000	C33-39
	9 Radial Lines Exceeds Gr.-8 Specifications Ultra Alloy	SPECIAL	Special Carbon Alloy Steel Quenched & Tempered	Up to 1	145,000	180,000 to 200,000	C38-42 Exceeds GRADE 8

TENSILE STRENGTH	MATERIAL	HEAD	PLATING	ILLUSTRATION
180,000 PSI 	Special carbon Alloy steel For maximum Strength	23% higher Head for Greater Wrenching	Yellow zinc Plating provides Effective Resistance to Corrosion	
150,000 PSI 	Medium Carbon alloy Steel	Standard	Yellow zinc Plating provides Effective Resistance to Corrosion	
120,000 PSI 	Medium Carbon Steel	Standard	Lusterplated To resist rust And corrosion	

**The formula for determining basic thread length on cap screws is as follows:**

- For bolts or screws 6 in. and shorter - twice the diameter plus 1/4 inch.
- For bolts or screws over 6 inches long - twice the diameter plus 1/2 inch.
- When bolts or screws are too short to apply the formula the thread will be extended as close to the head as possible.

# POPULAR FASTENER ASSORTMENTS



## COARSE (USS) & FINE (SAE) GRADE 5 HARDWARE ASSORTMENT

2464 pieces

72 items

with bin label set and (2) #12021 bins



**Part No. 501072L**

Half quantities available, use 501072M

- The most popular sizes of USS (coarse) and SAE (fine) cap screws, nuts, flat washers and lock washers 1/4" through 1/2" diameters.

- **80 compartment combination cabinet**  
Two 40 bin cabinets;  
35" wide x 21" high x 12" deep
- **Grade 5 cap screws are manufactured from 1038 carbon steel for a minimum tensile strength of 120,000 PSI.**



1/4 X 1/2	1/4 X 3/4	1/4 X 1	1/4 X 1-1/2	1/4 X 2	1/4 X 2-1/2	5/16 X 1/2	5/16 X 1	USS COARSE
5/16 X 1-1/2	5/16 X 2	5/16 X 2-1/2	3/8 X 1/2	3/8 X 3/4	3/8 X 1	3/8 X 1-1/2	3/8 X 2	
3/8 X 2-1/2	3/8 X 3	7/16 X 1-1/2	7/16 X 2	7/16 X 2-1/2	7/16 X 3	1/2 X 1-1/2	1/2 X 2	USS COARSE
1/2 X 2-1/2	1/2 X 3	1/4 USS hex nut	5/16 USS hex nut	3/8 USS hex nut	7/16 USS hex nut	1/2 USS hex nut	1/4 SAE flat washer	
5/16 SAE flat washer	3/8 SAE flat washer	7/16 SAE flat washer	1/2 SAE flat washer	1/4 lock washer	5/16 lock washer	3/8 lock washer	7/16 lock washer	
1/2 lock washer	1/4 X 1/2	1/4 X 3/4	1/4 X 1	1/4 X 1-1/2	1/4 X 2	1/4 X 2-1/2	5/16 X 1/2	SAE FINE
5/16 X 1	5/16 X 1-1/2	5/16 X 2	5/16 X 2-1/2	3/8 X 1/2	3/8 X 3/4	3/8 X 1	3/8 X 1-1/2	
3/8 X 2	3/8 X 2-1/2	3/8 X 3	7/16 X 1-1/2	7/16 X 2	7/16 X 2-1/2	7/16 X 3	1/2 X 1-1/2	SAE FINE
1/2 X 2	1/2 X 2-1/2	1/2 X 3	1/4 SAE hex nut	5/16 SAE hex nut	3/8 SAE hex nut	7/16 SAE hex nut	1/2 SAE hex nut	

**This assortment also available in Grade L9 and 8**

## GRADE L9 COARSE (USS) & FINE (SAE) ASSORTMENT

1475 pieces

72 items

Includes bin labels and  
(2) #12021 bins



**Part No. 601087**

\* Contains sizes shown above, with one exception. Grade L9 assortments are supplied with USS flat washers.

## GRADE 8 COARSE (USS) & FINE (SAE) ASSORTMENT

1475 pieces

72 items

Includes bin labels and  
(2) #12021 bins



**Part No. 501087**

\* Contains sizes shown in chart above.

# POPULAR FASTENER ASSORTMENTS

## SMALL & LARGE DIAMETER Coarse Thread

### COARSE (USS) GRADE 5 HARDWARE ASSORTMENT

1308 pieces

96 items

with bin label set and bins

Part No. 501704



### COARSE (USS) GRADE 8 HARDWARE ASSORTMENT

1308 pieces

96 items


with bin label set and bins

Part No. 501705



- The most popular sizes of USS (coarse) cap screws, nuts, flat washers and lock washers 1/4" through 1" diameters. 1/2" to 6" in length.


- Includes:
  - (2) #12021, 40 compartment bins and
  - (1) #12068, 32 compartment bin



Assortment Photo for illustration purposes only.  
Actual Contents may vary.

# POPULAR FASTENER ASSORTMENTS

## SMALL & LARGE DIAMETER Coarse Thread



### COARSE (USS) GRADE 5 HARDWARE ASSORTMENT 1296 pieces

77 items  
with bin label set and (2) #12021 bins



**Part No. 501098**

- The most popular sizes of USS (coarse) cap screws, nuts, flat washers and lock washers 1/4" through 3/4" diameters. 1/2" to 4" in length.

- Includes 80 compartment combination cabinet  
Two 40 bin cabinets;  
35" wide x 21" high x 12" deep
- Grade 5 cap screws are manufactured from 1038 carbon steel for a minimum tensile strength of 120,000 PSI.



1/4 hex nut	5/16 hex nut	3/8 hex nut	7/16 hex nut	1/2 hex nut	9/16 hex nut	5/8 hex nut	3/4 hex nut
1/4 lock washer	5/16 lock washer	3/8 lock washer	7/16 lock washer	1/2 lock washer	9/16 lock washer	5/8 lock washer	3/4 lock washer
1/4 flat washer	5/16 flat washer	3/8 flat washer	7/16 flat washer	1/2 flat washer	9/16 flat washer	5/8 flat washer	3/4 flat washer
1/4 x 1/2	5/16 x 1/2	3/8 x 1	7/16 x 1	1/2 x 1	9/16 x 1-1/2	5/8 x 1-1/2	3/4 x 1-1/2
1/4 x 3/4	5/16 x 3/4	3/8 x 1-1/2	7/16 x 1-1/2	1/2 x 1-1/2	9/16 x 2	5/8 x 2	3/4 x 2
1/4 x 1	5/16 x 1	3/8 x 2	7/16 x 2	1/2 x 2	9/16 x 2-1/2	5/8 x 2-1/2	3/4 x 2-1/2
1/4 x 1-1/2	5/16 x 1-1/2	3/8 x 2-1/2	7/16 x 2-1/2	1/2 x 2-1/2	9/16 x 3	5/8 x 3	3/4 x 3
1/4 x 2	5/16 x 2	3/8 x 3	7/16 x 3	1/2 x 3	9/16 x 3-1/2	5/8 x 3-1/2	3/4 x 3-1/2
1/4 x 2-1/2	5/16 x 2-1/2	3/8 x 3-1/2	7/16 x 3-1/2	1/2 x 3-1/2	9/16 x 4	5/8 x 4	3/4 x 4
1/4 x 3	5/16 x 3	3/8 x 4	7/16 x 4	1/2 x 4			

This assortment also available in Grade L9 and 8

### GRADE L9 COARSE (USS) ASSORTMENT

1296 pieces  
77 items  
Includes bin labels and  
(2) #12021 bins



**Part No. 601099**

\* Contains sizes shown above, with one exception. Grade L9 assortments are supplied with USS flat washers.

### GRADE 8 COARSE (USS) ASSORTMENT

1296 pieces  
77 items  
Includes bin labels and  
(2) #12021 bins



**Part No. 501099**

\* Contains sizes shown in chart above.



# 80 BIN ASSORTMENTS

## LARGE DIAMETER Coarse & Fine Thread

CAP SCREWS				USS	SAE	FLAT	LOCK
USS (coarse)		SAE (fine)		NUTS	NUTS	WASHERS	WASHERS
9/16 x 2	3/4 x 2	9/16 x 2	3/4 x 2	9/16-12	9/16-18	9/16	9/16
9/16 x 2-1/2	3/4 x 2-1/2	9/16 x 2-1/2	3/4 x 2-1/2	5/8-11	5/8-18	5/8	5/8
9/16 x 3	3/4 x 3	9/16 x 3	3/4 x 3	3/4-11	3/4-16	3/4	3/4
9/16 x 4	3/4 x 3-1/2	9/16 x 4	3/4 x 3-1/2	7/8-9	7/8-14	7/8	7/8
5/8 x 2	7/8 x 2	5/8 x 2	7/8 x 2	1-8	1-14	1	1
5/8 x 2-1/2	7/8 x 3	5/8 x 2-1/2	7/8 x 3				
5/8 x 3	7/8 x 4	5/8 x 3	7/8 x 4				
5/8 x 4	1 x 3	5/8 x 4	1 x 3				
3/4 x 1-1/2	1 x 4	3/4 x 1-1/2	1 x 4				

### 9/16" THRU 1" DIAMETERS



#### GRADE L9 Part No. 601310

470 pieces  
56 items  
Contains USS flat washers only.



#### GRADE 8 Part No. 501310

#### GRADE 5 Part No. 501308

545 pieces  
61 items  
Contains both USS & SAE flat washers.



\*Comes with bin label set and (2) #12021 bins.

## SMALL DIAMETER Coarse Thread

CAP SCREWS				USS	FLAT	LOCK	
USS (coarse)				NUTS	WASHERS	WASHERS	
1/4 x 1/2	5/16 x 1	3/8 x 2-1/2	7/16 x 3-1/2	9/16 x 2-1/2	1/4-20	1/4	1/4
1/4 x 3/4	5/16 x 1-1/2	3/8 x 3	7/16 x 4	9/16 x 3	5/16-18	5/16	5/16
1/4 x 1	5/16 x 2	3/8 x 3-1/2	1/2 x 1-1/2	9/16 x 4	3/8-16	3/8	3/8
1/4 x 1-1/2	5/16 x 2-1/2	3/8 x 4	1/2 x 2	5/8 x 2	7/16-14	7/16	7/16
1/4 x 2	5/16 x 3	7/16 x 1	1/2 x 2-1/2	5/8 x 2-1/2	1/2-13	1/2	1/2
1/4 x 2-1/2	3/8 x 3/4	7/16 x 1-1/2	1/2 x 3	5/8 x 3	9/16-12	9/16	9/16
1/4 x 3	3/8 x 1	7/16 x 2	1/2 x 3-1/2	5/8 x 4	5/8-11	5/8	5/8
5/16 x 1/2	3/8 x 1-1/2	7/16 x 2-1/2	1/2 x 4				
5/16 x 3/4	3/8 x 2	7/16 x 3	9/16 x 2				

### 1/4" THRU 5/8" DIAMETERS



#### GRADE L9 Part No. 601088

#### GRADE 8 Part No. 501088

1183 pieces  
64 items



#### GRADE 5 Part No. 501073L

1472 pieces  
64 items  
Part No. 501073L available in half quantities, use Part No. 501073M.



\*Comes with bin label set and (2) #12021 bins.

## SMALL & LARGE DIAMETER Coarse Thread

CAP SCREWS				USS	FLAT	LOCK	
USS (coarse)				NUTS	WASHERS	WASHERS	
1/4 x 1/2	5/16 x 3	7/16 x 1-1/2	1/2 x 2-1/2	5/8 x 3-1/2	3/4 x 3-1/2	7/16-14	5/8
1/4 x 1	3/8 x 1	7/16 x 2	1/2 x 3	5/8 x 4	3/4 x 4	1/2-13	3/4
1/4 x 1-1/2	3/8 x 1-1/2	7/16 x 2-1/2	1/2 x 3-1/2	5/8 x 4-1/2	3/4 x 4-1/2	5/8-11	1/4
1/4 x 2	3/8 x 2	7/16 x 3	1/2 x 4	5/8 x 5	3/4 x 5	3/4-10	5/16
1/4 x 2-1/2	3/8 x 2-1/2	7/16 x 3-1/2	1/2 x 4-1/2	5/8 x 5-1/2	3/4 x 5-1/2	1/4	3/8
5/16 x 1	3/8 x 3	7/16 x 4	5/8 x 1-1/2	5/8 x 6	3/4 x 6	5/16	7/16
5/16 x 1-1/2	3/8 x 3-1/2	1/2 x 1	5/8 x 2	3/4 x 2	1/4-20	3/8	1/2
5/16 x 2	3/8 x 4	1/2 x 1-1/2	5/8 x 2-1/2	3/4 x 2-1/2	5/16-18	7/16	5/8
5/16 x 2-1/2	7/16 x 1	1/2 x 2	5/8 x 3	3/4 x 3	3/8-16	1/2	3/4

### 1/4" THRU 3/4" DIAMETERS



#### GRADE 8 Part No. 501460

#### GRADE 5 Part No. 501459

1176 pieces  
72 items



Comes with bin label set and (2) #12021 bins.

# POPULAR FASTENER ASSORTMENTS

## 40 BIN GRADE 5 HARDWARE



### FEATURES / BENEFITS

- The most popular sizes of cap screws, nuts, flat washers and lock washers 1/4" through 1/2" diameters.
- 40 compartment cabinet. (12021)  
Measures: 35" wide x 21" high x 12" deep
- Grade 5 cap screws are manufactured from 1038 carbon steel for a minimum tensile strength of 120,000 PSI.



### USS COARSE THREAD

Part No. **501304L**

### SAE FINE THREAD

Part No. **501560L**

1606 pieces

40 items

Includes bin labels and #12021 bin



Half quantities available, use Part No. 501304M for Coarse thread and No. 501560M for Fine thread.

### Assortment contains:

1/4 x 1/2	1/4 x 3/4	1/4 x 1	1/4 x 1-1/2	1/4 x 2	5/16 x 3/4	5/16 x 1	5/16 x 1-1/4
5/16 x 1-1/2	5/16 x 2	5/16 x 2-1/2	3/8 x 3/4	3/8 x 1	3/8 x 1-1/4	3/8 x 1-1/2	3/8 x 2
3/8 x 2-1/2	3/8 x 3	7/16 x 1	7/16 x 1-1/2	7/16 x 2	1/2 x 1-1/2	1/2 x 2	1/2 x 2-1/2
1/2 x 3	1/4 hex nut	5/16 hex nut	3/8 hex nut	7/16 hex nut	1/2 hex nut	1/4 SAE flat washer	5/16 SAE flat washer
3/8 SAE flat washer	7/16 SAE flat washer	1/2 SAE flat washer	1/4 lock washer	5/16 lock washer	3/8 lock washer	7/16 lock washer	1/2 lock washer

### This assortment also available in Grade L9 and 8

#### GRADE L9 COARSE (USS) ASSORTMENT

799 pieces

40 items

Includes bin labels and #12021 bin

Part No. **601091**

\* Contains sizes shown above, with one exception. Grade L9 assortments are supplied with USS flat washers.



#### GRADE 8 COARSE (USS) ASSORTMENT

799 pieces

40 items

Includes bin labels and #12021 bin

Part No. **501091**

\* Contains sizes shown in chart above.



#### GRADE 8 FINE (SAE) ASSORTMENT

799 pieces

40 items

Includes bin labels and #12021 bin

Part No. **501097**

\* Contains sizes shown in chart above.



# 40 BIN ASSORTMENTS

## LARGE DIAMETER Coarse & Fine Thread

Assortment contains:

9/16 x 2	5/8 x 2	3/4 x 2-1/2	7/8 x 2-1/2	1 x 3	9/16 hex nut	9/16 split lock washer	9/16 flat washer
9/16 x 2-1/2	5/8 x 2-1/2	3/4 x 3	7/8 x 3	1 x 3-1/2	5/8 hex nut	5/8 split lock washer	5/8 flat washer
9/16 x 3	5/8 x 3	3/4 x 4	7/8 x 4	1 x 4	3/4 hex nut	3/4 split lock washer	3/4 flat washer
9/16 x 4	5/8 x 4	3/4 x 5	7/8 x 5	1 x 5	7/8 hex nut	7/8 split lock washer	7/8 flat washer
9/16 x 5	5/8 x 5	3/4 x 6	7/8 x 6	1 x 6	1 hex nut	1 split lock washer	1 flat washer

Comes with bin label set and #12021 bin.

9/16" THRU 1" DIAMETERS



GRADE 5 - Coarse Part No. 501739

GRADE 5 - Fine Part No. 501740

633 pieces  
40 items



## LARGE DIAMETER Coarse & Fine Thread

Assortment contains:

9/16 x 2	5/8 x 2	3/4 x 2-1/2	7/8 x 2-1/2	1 x 3	9/16 hex nut	9/16 split lock washer	9/16 flat washer
9/16 x 2-1/2	5/8 x 2-1/2	3/4 x 3	7/8 x 3	1 x 3-1/2	5/8 hex nut	5/8 split lock washer	5/8 flat washer
9/16 x 3	5/8 x 3	3/4 x 4	7/8 x 4	1 x 4	3/4 hex nut	3/4 split lock washer	3/4 flat washer
9/16 x 4	5/8 x 4	3/4 x 5	7/8 x 5	1 x 5	7/8 hex nut	7/8 split lock washer	7/8 flat washer
9/16 x 5	5/8 x 5	3/4 x 6	7/8 x 6	1 x 6	1 hex nut	1 split lock washer	1 flat washer

Comes with bin label set and #12021 bin.

9/16" THRU 1" DIAMETERS



GRADE 8 - Coarse Part No. 501741

GRADE 8 - Fine Part No. 501742

487 pieces  
40 items



**THIS PAGE INTENTIONALLY  
LEFT BLANK**

# 40 BIN ASSORTMENTS

## LARGE DIAMETER Coarse & Fine Thread

CAP SCREWS				USS	SAE	FLAT	LOCK
USS (coarse)		SAE (fine)		NUTS	NUTS	WASHERS	WASHERS
3/4 x 1-1/2	7/8 x 2	3/4 x 1-1/2	7/8 x 2	3/4-10	3/4-16	3/4	3/4
3/4 x 2	7/8 x 3	3/4 x 2	7/8 x 3	7/8-9	7/8-14	7/8	7/8
3/4 x 2-1/2	7/8 x 4	3/4 x 2-1/2	7/8 x 4	1-8	1-14	1	1
3/4 x 3	1 x 3	3/4 x 3	1 x 3				
3/4 x 3-1/2	1 x 4	3/4 x 3-1/2	1 x 4				

### 3/4" THRU 1" DIAMETERS



**GRADE L9 Part No. 601309**

178 pieces  
32 items



Contains USS flat washers only.

**GRADE 8 Part No. 501309**

**GRADE 5 Part No. 501307**

213 pieces  
35 items



Contains both USS & SAE flat washers.

Comes with bin label set and #12021 bin.

## SMALL DIAMETER Coarse & Fine Thread

CAP SCREWS			CAP SCREWS			USS	SAE
USS (coarse)			SAE (fine)			NUTS	NUTS
1/4 x 3/4	5/16 x 1-1/2	3/8 x 2	1/4 x 3/4	5/16 x 1-1/2	3/8 x 2	1/4-20	1/4-28
1/4 x 1	5/16 x 2	7/16 x 2	1/4 x 1	5/16 x 2	7/16 x 2	5/16-18	5/16-24
1/4 x 1-1/2	3/8 x 3/4	1/2 x 1	1/4 x 1-1/2	3/8 x 3/4	1/2 x 1	3/8-16	3/8-24
5/16 x 3/4	3/8 x 1	1/2 x 1-1/2	5/16 x 3/4	3/8 x 1	1/2 x 1-1/2	7/16-14	7/16-20
5/16 x 1	3/8 x 1-1/2	1/2 x 2	5/16 x 1	3/8 x 1-1/2	1/2 x 2	1/2-13	1/2-20

### 1/4" THRU 1/2" DIAMETERS



**GRADE L9 Part No. 601065**

**GRADE 8 Part No. 501065**

402 pieces  
40 items



**GRADE 5 Part No. 501040L**

1240 pieces  
40 items



Part No. 501040L available in half quantities, use Part No. 501040M.

Comes with bin label set and #12021 bin.

# POPULAR FASTENER ASSORTMENTS



## 18 DRAWER COARSE & FINE THREAD GRADE 5 HARDWARE ASSORTMENT

920 pieces

50 items

with bin label set and  
#12020 cabinet



**Part No. 501049**

- The most popular sizes, plus nuts, flat washers and lock washers 1/4" through 1/2" diameters.

- 18 drawer cabinet  
12020 cabinet measures;  
33-3/4" wide x 11" high x 11-5/8 deep

- Manufactured from 1038 carbon steel  
for a minimum tensile strength of  
120,000 PSI.



1/4 x 3/4	1/4 x 1	1/4 x 1-1/2	1/4 x 2	5/16 x 3/4	5/16 x 1	5/16 x 1-1/2	5/16 x 2	USS COARSE
3/8 x 3/4	3/8 x 1	3/8 x 1-1/2	3/8 x 2	3/8 x 2-1/2	1/2 x 1-1/2	1/2 x 1-3/4	1/2 x 2-1/2	
1/2 x 3	1/4 USS hex nut	5/16 USS hex nut	3/8 USS hex nut	1/2 USS hex nut	1/4 SAE flat washer	5/16 SAE flat washer	3/8 SAE flat washer	SAE FINE
1/2 SAE flat washer	1/4 lock washer	5/16 lock washer	3/8 lock washer	1/2 lock washer	1/4 x 3/4	1/4 x 1	1/4 x 1-1/2	
1/4 x 2	5/16 x 3/4	5/16 x 1	5/16 x 1-1/2	5/16 x 2	3/8 x 3/4	3/8 x 1	3/8 x 1-1/2	SAE FINE
3/8 x 2	3/8 x 2-1/2	1/2 x 1-1/2	1/2 x 1-3/4	1/2 x 2-1/2	1/2 x 3	1/4 SAE hex nut	5/16 SAE hex nut	
3/8 SAE hex nut	1/2 SAE hex nut							

This assortment also available in Grade L9 and 8

### GRADE L9 COARSE (USS) & FINE (SAE ) ASSORTMENT

680 pieces  
50 items  
Includes bin labels and  
#12020 cabinet



**Part No. 601086**

### GRADE 8 COARSE (USS) & FINE (SAE ) ASSORTMENT

968 pieces  
50 items  
Includes bin labels and  
#12020 cabinet



**Part No. 501086**

# 18 DRAWER FASTENER ASSORTMENT

## “MOST USED” STANDARD FASTENER ASSORTMENT

### Part No. 501466

5844 pieces

89 items

12020 18 drawer steel cabinet

Includes bin label set

### USS Coarse Grade 5 cap screws

22 sizes from 1/4-20 x 1/2 through  
1/2-13 x 3

### Round head machine screws

11 sizes from 8-32 x 1/2 through  
1/4-20 x 1-1/2

### Pan head sheet metal screws

15 sizes from 6 x 1/2  
through 14 x 1

### Hex slotted washer head sheet metal screws

11 sizes from 8 x 1/2  
through 14 x 1



Our 501466 “Most Used” fastener assortment gives you a complete inventory of the *most frequently used fasteners*, all in one assortment. 89 different items, 5844 pieces in one convenient package.

### Cotter pins

10 sizes from 1/16 x 1/2  
through 1/8 x 2

### USS Hex Nuts

6 sizes from  
8-32 through 1/2-13

### Flat Washers

6 from #8 through 1/2

### Lock Washers


6 sizes from #8 through 1/2



The “Most Used” fastener assortment includes the 12020 18-drawer steel cabinet pictured above. The cabinet measures 33-3/4 inches wide, 11 inches high, and 11-5/8 inches deep.

Molded steel handles won't bend, loosen or break.

# STEEL TRAY ASSORTMENTS



## USS GRADE 5 HARDWARE STEEL TRAY ASSORTMENT

1042 pieces  
24 items



**Part No. 501001L**

Half quantities available, use 501001M

- Includes cap screws, nuts, flat and lock washers.
- Sizes from 1/4" x 1/2" to 1/2" x 1-1/2".











Contains the most popular sizes.

Manufactured from 1038 quenched and tempered carbon steel, with 120,000 PSI minimum tensile strength. Rust and corrosion resistant LUSTER-PLATE™.

All assortments on this page come in a sturdy steel tray, which fits into both the 12007 and 12019 slide rack, part of Our complete line of storage cabinets.



The same popular sizes are available in USS (Coarse) or SAE (Fine) in 3 Grades:


 <p><b>USS Grade 8</b> Part No. <b>501084</b> 518 pieces 24 items</p> 	 <p><b>USS Grade L9</b> Part No. <b>601084</b> 518 pieces 24 items</p> 	 <p><b>SAE Grade 5</b> Part No. <b>501002L</b> 1122 pieces 24 items</p> <p>Half quantities available, use 501002M</p> 	 <p><b>SAE Grade 8</b> Part No. <b>501085</b> 542 pieces 24 items</p> 	 <p><b>SAE Grade L9</b> Part No. <b>601085</b> 542 pieces 24 items</p> 
--	---	--	--	---



# SUPRALLOY L9® CAP SCREWS/HEX NUTS/WASHERS

Ideal for farms, manufacturers, maintenance shops, railroads, amusement parks, construction, equipment rental

- Engineered to meet 180,000 to 200,000 PSI. tensile strength.
- 23% taller head for greater wrenching and less wrench slippage.
- Rolled thread & chamfered tip provides easy starting.
- YELLOW DICHROMATE™ plated against rust and corrosion and to produce accurate torque.
- Replaces private brand bolts such as: MC-12, Tru-Torq, Karalloy, Bowmalloy, Dura-Torq, Supertanium.
- Exceeds ASTM B633, Type IISCI specifications.



## CAP SCREWS

LENGTH	DIAMETER											
	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1		
50	1/2	USS SAE	602501 602701	602518	602535							
	3/4	USS SAE	602503 602703	602520 602720	602537 602737	602556	602575					
	1	USS SAE	602505 602705	602522 602722	602539 602739	602558 602758	602577 602777	602594	602604 602804			
	1-1/4	USS SAE	602506 602706	602523 602723	602540 602740	602559 602759	602578 602778	602595* 602795*	602605			
	1-1/2	USS SAE	602507 602707	602524 602724	602541 602741	602560 602760	602579 602779	602596 602796	602606 602806	602622 602822		
	1-3/4	USS SAE	602508 602708*	602525 602725	602542 602742	602561 602761	602580 602780		602607 602807	602623 602823		
	2	USS SAE	602509 602709	602526 602726	602543 602743	602562 602762	602581 602781	602598 602798	602608 602808	602624 602824	602637 602837	602650
	2-1/4	USS SAE		602527* 602727*	602544 602744		602582 602782		602609 602809	602625 602825	602838*	
	2-1/2	USS SAE	602511 602711	602528 602728	602545 602745	602564 602764	602583 602783	602600 602800	602610 602810	602626 602826	602639 602839	602652 602852
	25	2-3/4	USS SAE	602512* 602712*			602565* 602765*			602611 602811	602627 602827	602640* 602840*
3		USS SAE	602513 602713	602530 602730	602547 602747	602566 602766	602585 602785	602602 602802	602612 602812	602628 602828	602641 602841	602654 602854
15	3-1/2	USS SAE	602515* 602715*	602532 602732	602549 602749	602568 602768	602587 602787	602603 602803	602613 602813	602630 602830	602643 602843	602656 602856
	4	USS SAE		602534 602734*	602551 602751	602570 602770	602589 602789	602601 602801	602615 602815	602632 602832	602645 602845	602657 602857
10	4-1/2	USS SAE	602519* 602719*		602552 602752*	602571* 602771*	602590 602790*	602614* 602814*	602616 602816	602633 602833	602646 602846	602658 602858
	5	USS SAE	602721* 602738*		602553 602753*	602572	602591 602791	602618 602818*	602617 602817	602634 602834	602647 602847	602659 602859
	5-1/2	USS SAE			602574* 602774*	602792*			602662 602862	602635 602835	602648 602848	602660 602860
	6	USS SAE	602533* 602733*		602554 602750*	602573 602773*	602593 602793		602619 602819	602636 602836	602649 602849	602661 602861

\*These items will be discontinued when stock is depleted.

<b>L9 HEX NUTS</b>	USS	602901	602902	602903	602904	602905	602906	602907	602908	602909	602910	
	SAE	602911	602912	602913	602914	602915	602916	602917	602918	602919	602920	
		50			25			15		10		5
<b>L9 LOCK NUTS</b>	USS	602921	602922	602923	602924	602925	602926	602927	602928	602929	602930	
	SAE	602931	602932	602933	602934	602935	602936	602937	602938	602939	602940	
		50			25			10		5		
<b>L9 FLAT WASHERS</b>		602941	602942	602943	602944	602945	602946	602947	602948	602949	602950	
			100			50			25		12	
<b>THREADS PER INCH</b>	USS	20	18	16	14	13	12	11	10	9	8	
	SAE	28	24	24	20	20	18	18	16	14	14	


# ALLOY GRADE 8 CAP SCREWS/HEX NUTS/WASHERS

Used by manufacturing & processing plants,  
school buses, mining, construction and fleets.

- Minimum tensile strength 150,000 PSI.
- Medium carbon Alloy steel.

## CAP SCREWS


LENGTH	DIAMETER										
	1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1	
100	1/2'	USS 502501 SAE 502701	502518 502718	502535 502735							
	3/4	USS 502503 SAE 502703	502520 502720	502537 502737	502556 502756	502575 502775					
	1	USS 502505 SAE 502705	502522 502722	502539 502739	502558 502758	502577 502777	502594 502794	502604 502804	502620 502820		
	1-1/4	USS 502506 SAE 502706	502523 502723	502540 502740	502559 502759	502578 502778	502595 502795	502605 502805	502621 502821		
	1-1/2	USS 502507 SAE 502707	502524 502724	502541 502741	502560 502760	502579 502779	502596 502796	502606 502806	502622 502822		
	1-3/4	USS 502508 SAE 502708	502525 502725	502542 502742	502561 502761	502580 502780	502597 502797	502607 502807	502623 502823		
	2	USS 502509 SAE 502709	502526 502726	502543 502743	502562 502762	502581 502781	502598 502798	502608 502808	502624 502824	502637 502837	502650 502850
	2-1/4	USS 502510 SAE 502710	502527 502727	502544 502744	502563 502763	502582 502782		502609 502809	502625 502825	502638 502838	
	2-1/2	USS 502511 SAE 502711	502528 502728	502545 502745	502564 502764	502583 502783	502600 502800	502610 502810	502626 502826	502639 502839	502652 502852
	50	2-3/4	USS 502512 SAE 502712	502529 502729	502546 502746	502565 502765	502584 502784		502611 502811	502627 502827	502640 502840
3		USS 502513 SAE 502713	502530 502730	502547 502747	502566 502766	502585 502785	502602 502802	502612 502812	502628 502828	502641 502841	502654 502854
30	3-1/4	USS 502514 SAE 502714	502531 502731	502548 502748	502567 502767	502586 502786					
	3-1/2	USS 502515 SAE 502715	502532 502732	502549 502749	502568 502768	502587 502787	502603 502803	502613 502813	502630 502830	502643 502843	502656 502856
20	4	USS 502517 SAE 502717	502534 502734	502551 502751	502570 502770	502589 502789	502601 502801	502615 502815	502632 502832	502645 502845	502657 502857
	4-1/2	USS 502519 SAE 502719	502536 502736	502552 502752	502571 502771	502590 502790	502614 502814	502616 502816	502633 502833	502646 502846	502658 502858
	5	USS 502521 SAE 502721	502538 502738	502553 502753	502572 502772	502591 502791	502618 502818	502617 502817	502634 502834	502647 502847	502659 502859
	5-1/2	USS 402201 SAE 402401	402206 402406	502555 502755	502574 502774	502592 502792	502663 502863	502662 502862	502635 502835	502648 502848	502660 502860
10	6	USS 502533 SAE 502733	502550 502750	502554 502754	502573 502773	502593 502793	502631 502831	502619 502819	502636 502836	502649 502849	502661 502861
	6-1/2	USS 402202 SAE 402402	402207 402407	402211 402411	402217 402417	402101 402150		402108 402154	402115 402158	402121 402162	402126 402165
	7	USS 402203 SAE 402403	402208 402408	402212 402412	402218 402418	402102 402151		402109 402155	402116 402159	402122 402163	402127 402166
	7-1/2	USS 402204 SAE 402404	402209 402409	402213 402413	402219 402419	402103 402152		402110 402156	402117 402160	402140 402450	402137 402175
8	USS 402205 SAE 402405	402210 402410	402214 402414	402220 402420	402104 402153		402111 402157	402118 402161	402123 402164	402128 402167	



<b>HEX NUTS</b>	USS	502675	502677	502679	502681	502683	502685	502687	502689	502691	502693
	SAE	502676	502678	502680	502682	502684	502686	502688	502690	502692	502694
		100			50		30		20		10
<b>LOCK WASHERS</b>		504285	504286	504287	504288	504289	504290	504291	504292	504293	504294
			100			50		25			
<b>FLAT WASHERS</b>	USS	504230	504231	504232	504233	504234	504235	504236	504237	504238	504239
	SAE	504275	504276	504277	504278	504279	504280	504281	504282	504283	504284
		200			100		50		25		
<b>THREADS PER INCH</b>	USS	20	18	16	14	13	12	11	10	9	8
	SAE	28	24	24	20	20	18	18	16	14	14

# ALLOY GRADE 8 CAP SCREWS

Longer Lengths / Larger Diameters



- Black finish.
- Sizes listed on this page are non-stock. Allow 2-3 weeks for delivery.

LENGTH	DIAMETER												
	3/8	1/2	5/8	3/4	7/8	1	1-1/8	1-1/4	1-3/8	1-1/2	1-3/4	2	
3	USS SAE			<b>These sizes</b>				502975 402179	502983 402461				
3-1/2	USS SAE			<b>available in</b>				402242 402180	402255 402462				
4	USS SAE			<b>Zinc-Yellow Dichromate</b>				502976 402181	502984 402463	402268 402482	502991 402497	402292	402307
4-1/2	USS SAE			<b>finish only.</b>				402243 402182	402256 402464	402269 402483	402283 402498	402293	402308
5	USS SAE			<b>Please see listing on</b>				502977 402183	502985 402465	402270 402484	502992 402499	402294	402309
5-1/2	USS SAE			<b>page A10-10.</b>				402244 402184	402257 402466	402271 402485	402284 402500	402295	402310
6	USS SAE						502978 402185	502986 402467	402272 402486	502993 402501	402296	402311	
6-1/2	USS SAE						402245 402186	402258 402468			402285 402502		
7	USS SAE						502979 402187	502987 402469	402273 402487	502994 402503	402297	402312	
7-1/2	USS SAE						402246 402188	402259 402470					
8	USS SAE						502980 402189	502988 402471	402274 402488	502995 402504	402298	402313	
8-1/2	USS SAE		402105 402421	402112 402430	402234 402440	402141 402451	402138 402176	402247 402190	402260 402472				
9	USS SAE	402215 402415	402106 402422	402113 402431	402119 402441	402124 402452	402129 402177	502981 402191	502989 402473	402275 402489	502996 402505	402299	402314
9-1/2	USS SAE		402221 402423	402227 402432	402235 402442	402142 402453	402139 402178	402248 402192	402261 402474				
10	USS SAE	402216 402416	402107 402424	402114 402433	402120 402443	402125 402454	402130 402168	502982 402193	502990 402475	402276 402490	502997 402506	402300	402315
11	USS SAE		402222 402425	402228 402434	402236 402444	402143 402455	402131 402169	402249 402194	402262 402476	402277 402491	402286 402507	402301	402316
12	USS SAE		402223 402426	402229 402435	402237 402445	402144 402456	402132 402170	402250 402195	402263 402477	402278 402492	402287 402508	402302	402317
13	USS SAE		402224 402427	402230 402436	402238 402446	402145 402457	402133 402171	402251 402196	402264 402478	402279 402493	402288 402509	402303	402318
14	USS SAE		402225 402428	402231 402437	402239 402447	402146 402458	402134 402172	402252 402197	402265 402479	402280 402494	402289 402510	402304	402319
15	USS SAE		402226 402429	402232 402438	402240 402448	402147 402459	402135 402173	402253 402198	402266 402480	402281 402495	402290 402511	402305	402320
16	USS SAE			402233 402439	402241 402449	402148 402460	402136 402174	402254 402199	402267 402481	402282 402496	402291 402512	402306	402321



HEX NUTS	USS	502679	502683	502687	502689	502691	502693	502695	502697	502671	502699	502673	502674
	SAE	502680	502684	502688	502690	502692	502694	502696	502698	502672	502670		

LOCK WASHERS		504287	504289	504291	504292	504293	504294	504295	504296	504298	504297	50829	50830
--------------	--	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	-------	-------

FLAT WASHERS	USS	504232	504234	504236	504237	504238	504239	504240	504241		504242		
	SAE	504277	504279	504281	504282	504283	504284	504272	504273	504326	504274	504327	504328

THREADS PER INCH	USS	16	13	11	10	9	8	7	7	6	6	5	4-1/2
	SAE	24	20	18	16	14	14	12	12	12	12		

# GRADE 5 CAP SCREWS / HEX NUTS / WASHERS

Used universally by industrial, maintenance, automotive, and fleets.

- Minimum tensile strength 120,000 PSI.
- Medium carbon steel, quenched & tempered.



**CAP SCREWS**


LENGTH	DIAMETER												
		1/4	5/16	3/8	7/16	1/2	9/16	5/8	3/4	7/8	1		
200	1/2	USS SAE	502100 502300	502111 502311	502122 502322								
	5/8	USS SAE	502257 502457	502258 502458	502259 502459								
	3/4	USS SAE	502101 502301	502112 502312	502123 502323	502135 502335	502147 502347						
	1	USS SAE	502102 502302	502113 502313	502124 502324	502136 502336	502148 502348	502161 502361	502174 502374	502187 502387			
	1-1/4	USS SAE	502103 502303	502114 502314	502125 502325	502137 502337	502149 502349	502162 502362	502175 502375	502188 502388			
	1-1/2	USS SAE	502104 502304	502115 502315	502126 502326	502138 502338	502150 502350	502163 502363	502176 502376	502189 502389	502200 502400	502211 502411	
	1-3/4	USS SAE	502105 502305	502116 502316	502127 502327	502139 502339	502151 502351	502164 502364	502177 502377	502190 502390	502201 502401	502212 502412	
	2	USS SAE	502106 502306	502117 502317	502128 502328	502140 502340	502152 502352	502165 502365	502178 502378	502191 502391	502202 502402	502213 502413	
100	2-1/4	USS SAE	502222 502422	502225 502425	502230 502430	502236 502436	502242 502442	502246 502446	502247 502447	502251 502451	502255 502455		
	2-1/2	USS SAE	502107 502307	502118 502318	502129 502329	502141 502341	502153 502353	502166 502366	502179 502379	502192 502392	502203 502403	502214 502414	
	2-3/4	USS SAE	502223 502423	502226 502426	502231 502431	502237 502437	502243 502443		502248 502448	502252 502452			
	3	USS SAE	502108 502308	502119 502319	502130 502330	502142 502342	502154 502354	502167 502367	502180 502380	502193 502393	502204 502404	502215 502415	
50	3-1/4	USS SAE	502224 502424	502227 502427	502232 502432	502238 502438	502244 502444		502249 502449	502253 502453	502256 502456		
	3-1/2	USS SAE	502109 502309	502120 502320	502131 502331	502143 502343	502155 502355	502168 502368	502181 502381	502194 502394	502205 502405	502216 502416	
	3-3/4	USS SAE			502233 502433	502239 502439	502245 502445		502250 502450	502254 502454			
	4	USS SAE	502110 502310	502121 502321	502132 502332	502144 502344	502156 502356	502169 502369	502182 502382	502195 502395	502206 502406	502217 502417	
10	4-1/2	USS SAE	402601 402701	502228 502428	502133 502333	502145 502345	502157 502357	502170 502370	502183 502383	502196 502396	502207 502407	502218 502418	
	5	USS SAE	402602 402702	502229 502429	502134 502334	502146 502346	502158 502358	502171 502371	502184 502384	502197 502397	502208 502408	502219 502419	
	5-1/2	USS SAE	402603 402703	402609 402709	502234 502434	502240 502440	502159 502359	502172 502372	502185 502385	502198 502398	502209 502409	502220 502420	
	6	USS SAE	402604 402704	402610 402710	502235 502435	502241 502441	502160 502360	502173 502373	502186 502386	502199 502399	502210 502410	502221 502421	



HEX NUTS	USS	503260	503262	503264	503266	503268	503270	503272	503274	503276	503278
	SAE	503261	503263	503265	503267	503269	503271	503273	503275	503277	503279
		100			50			25			10
LOCK WASHERS	ALL	50815	50816	50817	50818	50819	50820	50821	50822	50823	50824
		400	200		100			50		25	
FLAT WASHERS	USS	50906	50907	50908	50909	50910	50911	50912	50913	50914	50915
	SAE	50924	50925	50926	50927	50928	50929	50930	50931	50932	50933
		400	200			100			50		25
THREADS PER INCH	USS	20	18	16	14	13	12	11	10	9	8
	SAE	28	24	24	20	20	18	18	16	14	14

# GRADE 5 CAP SCREWS

Longer Lengths / Larger Diameters



- Sizes listed on this page are non-stock. Allow 2-3 weeks for delivery.



LENGTH	DIAMETER													
	1/4	5/16	3/8	7/16	1/2	5/8	3/4	7/8	1	1-1/8	1-1/4	1-1/2		
3	USS	These sizes are available										402662	402677	
	SAE											402762	402777	
3-1/2	USS	as stock items.										402663	402678	
	SAE											402763	402778	
4	USS	Please see listing on										402664	402679	402692*
	SAE											402764	402779	
4-1/2	USS	page A10-12.										402665	402680	402693*
	SAE											402765	402780	
5	USS											402666	402681	402694*
	SAE											402766	402781	
5-1/2	USS											402667	402682	402695*
	SAE											402767	402782	
6	USS											402668	402683	402696*
	SAE											402768	402783	
6-1/2	USS	402605	402611	402615	402619	402623	402630	402638	402646	402654	402669	402684		
	SAE	402705	402711	402715	402719	402723	402730	402738	402746	402754	402769	402784		
7	USS	402606	402612	402616	402620	402624	402631	402639	402647	402655	402670	402685	402697*	
	SAE	402706	402712	402716	402720	402724	402731	402739	402747	402755	402770	402785		
7-1/2	USS	402607	402613	402617	402621	402625	402632	402640	402648	402656	402671	402686		
	SAE	402707	402713	402717	402721	402725	402732	402740	402748	402756	402771	402786		
8	USS	402608	402614	402618	402622	402626	402633	402641	402649	402657	402672	402687	402698*	
	SAE	402708	402714	402718	402722	402726	402733	402741	402749	402757	402772	402787		
8-1/2	USS					402627	402634	402642	402650	402658	402673	402688		
	SAE					402734	402742	402750	402758	402773	402788			
9	USS					402628	402635	402643	402651	402659	402674	402689		
	SAE					402735	402743	402751	402759	402774	402789			
9-1/2	USS							402644	402652	402660	402675	402690		
	SAE							402744	402752	402760	402775	402790		
10	USS					402629	402636	402645	402653	402661	402676	402691	402699*	
	SAE					402736	402745	402753	402761	402776	402791			
12	USS						402637							
	SAE						402737*							

\* Black finish only.

# GRADE 2 CAP SCREWS

## HEX HEAD CAP SCREWS, NUTS AND WASHERS

Used in light duty, low stress applications.

- Low carbon steel - not heat treated.
- Available in coarse (USS) thread only.
- The "Shear Bolt" has special low strength properties that allow it to break or bend before expensive equipment is damaged.



### CAP SCREWS

LENGTH	DIAMETER							
	1/4	5/16	3/8	7/16	1/2	5/8	3/4	
200	1/2	USS 502901						
	3/4	USS 502902	502910					
	1	USS 502903	502911	502920	502929			
	1-1/2	USS 502904	502912	502921	502930	502938	502948	502957
100	2	USS 502905	502913	502922	502931	502939	502949	502958
	2-1/2	USS 502906	502914	502923	502932	502940	502950	502959
	3	USS 502907	502915	502924	502933	502941	502951	502960
50	3-1/2	USS 502908	502916	502925	502934	502942	502952	502961
	4	USS 502909	502917	502926	502935	502943	502953	502962
30	4-1/2	USS	502918	502927	502936	502944	502954	502963
	5	USS	502919	502928	502937	502945	502955	502964
25	5-1/2	USS				502946		
	6	USS				502947	502956	502965



NOTE: 502934 and 502941 - 40

HEX NUTS	USS 51205	51207	51209	51231	51213	51217	51219
		200			100		50
LOCK WASHERS	ALL 50815	50816	50817	50818	50819	50821	50822
	500	250			100		50
FLAT WASHERS	USS 50906	50907	50908	50909	50910	50912	50913
	SAE 50924	50925	50926	50927	50928	50930	50931
	500	250			100		50
THREADS PER INCH	USS 20	18	16	14	13	11	10

## FLAT HEAD SLOTTED CAP SCREW



- USS (Coarse threads.)
- Low carbon steel.



LENGTH	DIAMETER 1/2-13		DIAMETER 5/8-11		DIAMETER 3/4-10	
	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
1	504475	10	---	-	---	-
1-1/4	504476	10	504483	10	---	-
1-1/2	504477	10	504484	10	504492	5
1-3/4	504478	10	504485	10	504493	5
2	504479	10	504486	5	504494	5
2-1/4	504480	10	504487	5	504495	5
2-1/2	504481	10	504488	5	504496	5
3	504482	10	504489	5	504497	5
3-1/2	---	-	504490	5	504498	5
4	---	-	504491	5	504499	5


# SOCKET HEAD CAP SCREWS

## SOCKET HEAD CAP SCREW ASSORTMENTS

- Exceeds Grade 8 specifications.
- Includes 4 sizes of high collar lock washers.
- Sizes from 1/4" x 1/2" to 1/2" x 1-3/4".
- USS - Coarse thread.



Assortment picture is for display purposes only. Actual contents may vary.



**SOCKET HEAD CAP SCREWS and LOCK WASHERS**  
**Part No. 501066**  
**344 pieces • 20 items**  
**12017 steel tray**



503409	503422	503431	503452
503411	503423	503432	504263
503413	503424	503448	504264
503415	503428	503450	504265
503421	503430	503451	504267

**Numbers in assortment**

**Contains the most popular sizes.**

**Manufactured from alloy steel, heat treated, with a Class 3A fully formed thread.**

**501066, as well as 501318 and 501319 shown below comes in a sturdy steel tray which fits into both the 12007 and 12019 slide racks, part of Our complete line of storage cabinets.**

### OTHER SOCKET HEAD CAP SCREW ASSORTMENTS AVAILABLE

#### MASTER ASSORTMENT COARSE (USS) & FINE (SAE)

**Part No. 501319**  
**465 pieces • 31 items**  
**12062 steel tray**

503398	503408	503958	503966
503399	503501	503959	503967
503401	503502	503960	503968
503402	503503	503961	503969
503404	503504	503962	503970
503405	503955	503963	503971
503406	503956	503964	503972
503407	503957	503965	

**Numbers in assortment**

#### COARSE (USS) & FINE (SAE) with HEX KEY WRENCHES

**Contains sizes:**  
**No. 10-24 x 1/2" to 3/8" x 2"**

**Part No. 501318**  
**144 pieces • 18 items**  
**12056 steel tray**

113831	503407	503421	503431
113832	503409	503422	503432
113834	503411	503423	503434
113835	503413	503428	
503405	503416	503430	

**Numbers in assortment**

#### COARSE (USS)

**Contains sizes:**  
**1/4" x 1/2" to 3/8" x 1-1/2"**

**Part No. 503007**  
**120 pieces • 12 items**  
**12038 plastic tray**

503409	503420	503428
503411	503421	503430
503413	503422	503431
503415	503424	503432

**Numbers in assortment**

# SOCKET HEAD CAP SCREWS

Used for precision work.



- Alloy steel.
- Heat treated.
- Black finish.
- Class 3A fully formed thread.
- Manufactured to meet ANSI/ASME B18.3-1986 standards.
- Exceeds Grade 8 specifications.

LENGTH	DIAMETER												
	0	1	2	3	4	5	6	8	10	1/4	5/16	3/8	
100	1/8	USS SAE	504850 504854										
	3/16	USS SAE	504851 504855	504709	504713								
	1/4	USS SAE	504852 504856	504710	504714	504717	504722	503955 504858	503958				
	3/8	USS SAE	504853 504857	504711	504715	504718	504723	503956 504859	503959	503963	504732 504864	504737	
50	1/2	USS SAE		504712	504716	504719	504724	503398 504860	503401	503405	503409	503420	504746 504872
	5/8	USS SAE				504720	504725	504727 504861	503960	503964	503410	504738	504747 504873
	3/4	USS SAE				504721	504726	503399 504862	503402	503406	503411	503421	503428 503519
	7/8	USS SAE						504728	504730	504731	503412	504739	503429 504874
	1	USS SAE						503957	503404	503407	503413	503422	503430 503520
	1-1/4	USS SAE							503961	503965	503414	503423	503431 503521
	1-1/2	USS SAE							503962	503408	503415	503424	503432 503522
	1-3/4	USS SAE							503966	503416	503416	503425	503433 504875
	2	USS SAE							503967	503417	503417	503426	503434 503523
	2-1/4	USS SAE									503418	504740	503435 504876
	2-1/2	USS SAE									503419	503427	503436 504877
	2-3/4	USS SAE									504733	504741	504748
25	3	USS SAE								504734	504742	503437 504878	
	3-1/4	USS SAE									504743	504749	
	3-1/2	USS SAE								504735	504744	504750	
	4	USS SAE								504736	504745	504751	
	4-1/2	USS SAE										504752	
	5	USS SAE										504753	
	6	USS SAE										504754	
	KEY SIZES		.050 113804	1/16 113805	5/64 113806	5/64 113806	3/32 113807	3/32 113807	7/64 113808	9/64 113810	5/32 113811	3/16 113812	1/4 113814





# SOCKET HEAD CAP SCREWS

LENGTH	DIAMETER								
	7/16	1/2	5/8	3/4	7/8	1	1-1/4	1-1/2	
25	1/2	USS SAE	504755 504762						
	5/8	USS SAE	504756 504763						
	3/4	USS SAE	503438 503447						
	7/8	USS SAE	504757 504764						
	1	USS SAE	503439 504879	503448 504883	503460 504891				
	1-1/4	USS SAE	503440 504880	503450 504884	503461 504892	503472			
	1-1/2	USS SAE	503441 504881	503451 504885	503462 504893	503473			
	1-3/4	USS SAE	503442 504886	503452 504886	503463 504894	503474			
10	2	USS SAE	503443 504882	503453 504887	503464 504895	503475	503482	503488	
	2-1/4	USS SAE	503444 504888	503454 504888	503465	504779	504786	503489	
	2-1/2	USS SAE	503445	503455 504889	503466 504896	503476	503483	503490	504799
	2-3/4	USS SAE	504758	503456	503467	504780	504787		
	3	USS SAE	503446 504890	503457 504890	503468	503477	503484	503491	504800 504813
	3-1/4	USS SAE	504759	504765					
	3-1/2	USS SAE	504760	503458	504773	503478	504788	503495	504801 504814
	4	USS SAE	504761	503459	503469	503479	503485	503492	504802 504815
	4-1/2	USS SAE		504766	504774	504781	504789	504794	504803 504816
	5	USS SAE		504767	503470	503480	503486	503493	504804 504817
5	5-1/2	USS SAE		504768	504775	504782	504790	504795	504805 504818
	6	USS SAE		504769	503471	503481	503487	503494	504806 504819
	6-1/2	USS SAE		504770	504776	504783	504791	504796	504807 504820
	7	USS SAE		504771	504777	504784	504792	504797	504808 504821
	8	USS SAE		504772	504778	504785	504793	504798	504809 504822
2	9	USS SAE							504810 504823
	10	USS SAE							504811 504824
	12	USS SAE							504812 504825
KEY SIZES		3/8 113816	3/8 113816	1/2 113818	5/8 113820	3/4 113821	3/4 113821	7/8 113822	1 113823



# SOCKET CAP SCREWS

## LOW HEAD SOCKET CAP SCREWS

### APPLICATIONS

Specifically for use in parts too thin for standard height socket cap screws and for applications with limited clearances.



### FEATURES / BENEFITS

- Head height 1/2 of standard socket head cap screws.
- Heat treated alloy steel.
- Class 3A.
- Coarse threads\*.
- Manufactured to meet ANSI B18.3 -1986 standards.
- Exceeds Grade 8 specifications.

Head Height	DIA. NO. 8-32 .082 5/64 Key	DIA. NO. 10-24 .095 3/32 Key	DIA. NO. 10-32 .095 3/32 Key	DIA. NO. 1/4-20 .125 1/8 Key	DIA. 5/16-18 .156 5/32 Key	DIA. 3/8-16 .187 3/16 Key	DIA. 1/2-13 .250 1/4 Key
LENGTH	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER
3/8	504901	25 504906	25 504911	25 504916	25 ---	- ---	- ---
1/2	504902	25 504907	25 504912	25 504917	25 504922	25 504928	25 ---
5/8	504903	25 504908	25 504913	25 504918	25 504923	25 504929	25 ---
3/4	504904	25 504909	25 504914	25 504919	25 504924	25 504930	25 504934
1	504905	- 504910	- 504915	25 504920	25 504925	25 504931	25 504935
1-1/4	---	- ---	- ---	- 504921	25 504926	25 504932	25 504936
1-1/2	---	- ---	- ---	- ---	25 504927	25 504933	25 504937
KEY #	113806	113807	113807	113809	113811	113812	113814

\*10-32 is fine thread



**Part No. 501579**  
264 pieces • 28 items  
12062 steel tray

504901	504907	504913	504921	504930
504902	504908	504914	504922	504931
504903	504909	504915	504924	504932
504904	504910	504917	504925	504933
504905	504911	504919	504926	
504906	504912	504920	504927	

**Numbers in assortment**

Assortment picture is for display purposes only.  
Actual contents may vary.


# SOCKET CAP SCREWS

## FLAT HEAD SOCKET CAP SCREWS

For precision work use socket head cap screws.



- Exceeds Grade 8 specifications.
- Manufactured from alloy steel, heat treated, with a Class 3A fully formed thread. Meets ANSI/ASME B 18.3-1986 standards.
- Minimum tensile strength:  
1/4 to 1/2 = 180,000 PSI  
1/2 & up = 170,000 PSI
- Flat head provides a flush finish.



### INDIVIDUAL FLAT HEAD SOCKET CAP SCREWS

LENGTH	DIAMETER						
	2-56	3-48	4-40	5-40	6-32	8-32	
50	3/16	USS 507500	507504				
	1/4	USS 507501	507505	507508	507513	507518	
	3/8	USS 507502	507506	507509	507514	507519	507523
	1/2	USS 507503	507507	507510	507515	507520	503575
	5/8	USS		507511	507516	507521	507524
	3/4	USS		507512	507517	507522	507525
	1	USS					507526
KEY SIZES		.050 113804	1/16 113805	1/16 113805	5/64 113806	5/64 113806	3/32 113807



25

Assortment picture is for display purposes only. Actual contents may vary.



30

LENGTH	DIAMETER							
	3/16 (#10)	1/4	5/16	3/8	7/16	1/2	5/8	3/4
25	3/8	USS 507527	507532					
		SAE 503578	503585					
50	1/2	USS 503576	503525	503531	507539			
		SAE 503579	503586	503588				
25	5/8	USS 507528	507533	507535	507540			
		SAE 503580	503587	503589	503590			
50	3/4	USS 507529	503526	503532	503574	507544	507550	
		SAE 503581	503557	503561	503565		503569	
50	1	USS 503577	503527	503533	503537	507545	503542	
		SAE 503582	503558	503562	503566		503570	
25	1-1/4	USS 507530	503528	503534	503538	507546	503543	503548
		SAE 503583	503559	503563	503567		503571	
15	1-1/2	USS 507531	503529	503535	503539	507547	503544	503549
		SAE 503584	503560	503564	503568		503572	
50	1-3/4	USS	507534	507536	507541	507548	507551	507553
		SAE					503591	
30	2	USS	503530	503536	503540	507549	503545	503550
		SAE					503573	
15	2-1/4	USS		507537	507542		507552	507554
		SAE						507557
30	2-1/2	USS		507538	503541		503546	503551
		SAE						503555
10	3	USS			507543		503547	503552
		SAE						503556
KEY SIZES		1/8 113809	5/32 113811	3/16 113812	7/32 113813	1/4 113814	5/16 113815	3/8 113816
THREADS PER INCH	USS	24	20	18	16	14	13	11
	SAE	32	28	24	24	20	20	18

**Part No. 501316**  
**285 pieces • 16 items**  
**12050 steel tray**

503525	503534	503542
503526	503537	503544
503527	503538	503545
503531	503539	503574
503532	503540	
503533	503541	

**Numbers in assortment**


# SOCKET HEAD CAP SCREWS

## SOCKET HEAD SHOULDER SCREWS



- Alloy steel.
- USS threads.
- Class 3A fully formed threads.
- Knurled head for sure grip.

- Minimum tensile strength:  
1/4 to 1/2 = 180,000 PSI  
1/2 & up = 170,000 PSI
- Meets or exceeds Grade 8 specifications.






**Part No. 501640**  
**145 pieces • 23 items**  
**12017 steel tray**

703201	703207	703214	703225	703239
703202	703208	703218	703232	703241
703203	703209	703220	703233	703243
703204	703211	703221	703235	
703205	703212	703223	703237	

**Numbers in assortment**

A SHOULDER DIA.	B THREAD DIA.	C SHOULDER LENGTH	PART NUMBER		A SHOULDER DIA.	B THREAD DIA.	C SHOULDER LENGTH	PART NUMBER	
1/4	10-24	3/8	703201	24	3/8	5/16-18	3	703227	12
1/4	10-24	1/2	703202	24	3/8	5/16-18	3-1/2	703228	12
1/4	10-24	5/8	703203	24	3/8	5/16-18	4	703229	12
1/4	10-24	3/4	703204	24	1/2	3/8-16	1/2	703230	12
1/4	10-24	1	703205	24	1/2	3/8-16	5/8	703231	12
1/4	10-24	1-1/4	703206	24	1/2	3/8-16	3/4	703232	12
1/4	10-24	1-1/2	703207	24	1/2	3/8-16	1	703233	12
5/16	1/4-20	3/8	703208	24	1/2	3/8-16	1-1/4	703234	12
5/16	1/4-20	1/2	703209	24	1/2	3/8-16	1-1/2	703235	12
5/16	1/4-20	5/8	703210	24	1/2	3/8-16	1-3/4	703236	12
5/16	1/4-20	3/4	703211	24	1/2	3/8-16	2	703237	12
5/16	1/4-20	1	703212	24	5/8	1/2-13	1-1/4	703238	6
5/16	1/4-20	1-1/4	703213	24	5/8	1/2-13	1-1/2	703239	6
5/16	1/4-20	1-1/2	703214	24	5/8	1/2-13	1-3/4	703240	6
5/16	1/4-20	1-3/4	703215	24	5/8	1/2-13	2	703241	6
5/16	1/4-20	2	703216	24	5/8	1/2-13	2-1/4	703242	6
3/8	5/16-18	3/8	703217	24	5/8	1/2-13	2-1/2	703243	6
3/8	5/16-18	1/2	703218	24	5/8	1/2-13	3	703244	6
3/8	5/16-18	5/8	703219	24	5/8	1/2-13	3-1/2	703245	6
3/8	5/16-18	3/4	703220	24	5/8	1/2-13	4	703246	6
3/8	5/16-18	1	703221	24	3/4	5/8-11	1-1/2	703247	6
3/8	5/16-18	1-1/4	703222	24	3/4	5/8-11	1-3/4	703248	6
3/8	5/16-18	1-1/2	703223	24	3/4	5/8-11	2	703249	6
3/8	5/16-18	1-3/4	703224	24	3/4	5/8-11	2-1/2	703250	6
3/8	5/16-18	2	703225	24	3/4	5/8-11	3	703251	6
3/8	5/16-18	2-1/2	703226	12	3/4	5/8-11	3-1/2	703252	6




**Key sizes:** 1/4" dia. - 1/8 key; 5/16" dia. - 5/32 key; 3/8" dia. - 3/16 key; 1/2 dia. - 1/4 key; 5/8" dia. - 5/16 key; 3/4" dia. - 3/8 key

# SOCKET HEAD CAP SCREWS

## BUTTON HEAD SOCKET CAP SCREWS

- Alloy steel, heat treated.
- Exceeds Grade 8 specifications.
- Maximum resistance to stretching, snapping, breaking or shearing.
- Low head height for streamline design.
- Use for all fastening applications.
- Minimum tensile strength 180,000 P.S.I.



**Part No. 501639**  
**407 pieces • 19 items**  
**12071 steel tray**

703255	703262	703270	703280
703257	703263	703272	703282
703259	703264	703274	703287
703260	703266	703276	703289
703261	703268	703278	

**Numbers in assortment**

	<b>DIA. 2-56</b>		<b>DIA. 3-48</b>		<b>DIA. 4-40</b>		<b>DIA. 6-32</b>		<b>DIA. 8-32</b>		<b>DIA. 10-24</b>		<b>DIA. 10-32</b>	
	USS		USS		USS		USS		SAE		USS		SAE	
LENGTH	PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER	
3/16	702050	50	702054	50	702058	50	---	-	---	-	---	-	---	-
1/4	702051	50	702055	50	702059	50	702062	50	702063	50	702066	50	702075	50
3/8	702052	50	702056	50	702060	50	703260	100	703263	100	703267	100	703254	100
1/2	702053	50	702057	50	702061	50	703261	100	703264	100	703268	100	703255	100
5/8	---	-	---	-	---	-	703262	100	703265	100	703269	100	703256	100
3/4	---	-	---	-	---	-	---	-	703266	100	703270	100	703257	100
7/8	---	-	---	-	---	-	---	-	702064	50	703271	100	703258	100
1	---	-	---	-	---	-	---	-	702065	50	703272	100	703259	100
KEY SIZES	.050 113804		1/16 113805		1/16 113805		5/64 113806		3/32 113807		1/8 113809		1/8 113809	

	<b>DIA. 1/4-20</b>		<b>DIA. 1/4-28</b>		<b>DIA. 5/16-18</b>		<b>DIA. 5/16-24</b>		<b>DIA. 3/8-16</b>		<b>DIA. 3/8-24</b>		<b>DIA. 1/2-13</b>		<b>DIA. 5/8-11</b>	
	USS		SAE		USS		SAE		USS		SAE		USS		USS	
LENGTH	PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER		PART NUMBER	
1/4	702067	50	---	-	---	-	---	-	---	-	---	-	---	-	---	-
3/8	703273	100	702076	50	703279	100	702082	50	---	-	---	-	---	-	---	-
1/2	703274	100	702077	50	703280	100	702083	50	703285	100	702088	50	---	-	---	-
5/8	703275	100	702078	50	703281	100	702084	50	703286	100	702089	50	---	-	---	-
3/4	703276	100	702079	50	703282	100	702085	50	703287	100	702090	50	---	-	---	-
7/8	703277	100	702080	50	703283	100	702086	50	703288	100	702091	50	---	-	---	-
1	703278	100	702081	50	703284	100	702087	50	703289	100	702092	50	703291	50	703295	25
1-1/4	---	-	---	-	---	-	---	-	703290	100	702093	50	703292	50	703296	25
1-1/2	---	-	---	-	---	-	---	-	---	-	---	-	703293	50	703297	25
2	---	-	---	-	---	-	---	-	---	-	---	-	703294	50	703298	25
KEY SIZES	5/32 113811		5/32 113811		3/16 113812		3/16 113812		7/32 113813		7/32 113813		5/16 113815		3/8 113816	

**THIS PAGE INTENTIONALLY  
LEFT BLANK**

# SOCKET HEAD CAP SCREWS



## TAMPERPROOF SOCKET CAP SCREWS

### APPLICATIONS

Prevents unauthorized removal of parts & equipment from vending machines, computers, telephone booths, electrical panels, control units, street signs, thermostats.

### FEATURES / BENEFITS

- Manufactured of heat treated alloy steel.
- Coarse threads\*.
- Meets ANSI-B18.3 - 1986 specification.
- Non-destructive pin is formed by special cold-heading process.
- Minimum tensile strength 180,000 P.S.I.
- Meets or exceeds Grade 8 specifications.



**Part No. 501549**  
 158 pieces • 27 items  
 12056 steel tray  
 Includes hex keys

213716	213724	504514	504526	504540
213717	504503	504515	504527	504546
213719	504505	504517	504533	504547
213720	504508	504519	504534	
213721	504510	504520	504535	
213723	504512	504524	504539	

**Numbers in assortment**

	DIA. NO. 4-40 3/32 Key		DIA. NO. 6-32 7/64 Key		DIA. NO. 8-32 9/64 Key		DIA. NO. 10-24 5/32 Key		DIA. NO. 10-32 5/32 Key		DIA. NO. 1/4-20 3/16 Key		DIA. 5/16-18 1/4 Key		DIA. 3/8-16 5/16 Key	
LENGTH	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	
1/4	504501	25 504506	25	---	-	---	-	---	-	---	-	---	-	---	-	
3/8	504502	25 504507	25	504511	25	504516	25	504523	25	504530	25					
1/2	504503	25 504508	25	504512	25	504517	25	504524	25	504531	25	504537	25	504543	25	
5/8	504504	25 504509	25	504513	25	504518	25	504525	25	504532	25	504538	25	504544	25	
3/4	504505	25 504510	25	504514	25	504519	25	504526	25	504533	25	504539	25	504545	25	
1	---	-	---	-	504515	25	504520	25	504527	25	504534	25	504540	25	504546	25
1-1/4	---	-	---	-	---	-	504521	25	504528	25	504535	25	504541	25	504547	25
1-1/2	---	-	---	-	---	-	504522	25	504529	25	504536	25	504542	25	504548	25
KEY #	213716		213717		213719		213720		213720		213721		213723		213724	

\*10-32 is fine thread


# SOCKET HEAD CAP SCREWS

## TAMPERPROOF FLAT HEAD SOCKET CAP SCREWS

**Part No. 501550**  
 156 pieces • 25 items  
 12056 steel tray  
 Includes hex keys

213716	504552	504563	504573	504584
213718	504554	504564	504575	504588
213720	504557	504566	504576	504589
213721	504559	504568	504582	504595
213722	504561	504569	504583	504596

Numbers in assortment




	DIA. NO. 4-40 3/32 Key	DIA. NO. 6-32 3/32 Key	DIA. NO. 8-32 3/32 Key	DIA. NO. 10-24 1/8 Key	DIA. NO. 10-32 1/8 Key	DIA. NO. 1/4-20 5/32 Key	DIA. 5/16-18 3/16 Key	DIA. 3/8-16 7/32 Key								
LENGTH	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER								
1/4	504550	25	504555	25	---	-	---	-	---	-	---	-	---	-		
3/8	504551	25	504556	25	504560	25	504565	25	504572	25	504579	25	---	-	---	-
1/2	504552	25	504557	25	504561	2	504566	25	504573	25	504580	25	504586	25	504592	25
5/8	504553	25	504558	25	504562	25	504567	25	504574	25	504581	25	504587	25	504593	25
3/4	504554	25	504559	25	504563	25	504568	25	504575	25	504582	25	504588	25	504594	25
1	---	-	---	-	504564	25	504569	25	504576	25	504583	25	504589	25	504595	25
1-1/4	---	-	---	-	---	-	504570	25	504577	25	504584	25	504590	25	504596	25
1-1/2	---	-	---	-	---	-	504571	25	504578	25	504585	25	504591	25	504597	25
KEY #	213716		213716		213716		213718		213718		213720		213721		213722	

## TAMPERPROOF BUTTON HEAD SOCKET CAP SCREWS

**Part No. 501551**  
 158 pieces • 25 items  
 12056 steel tray  
 Includes hex keys

213716	504602	504610	504619	504627
213718	504603	504612	504621	504628
213720	504604	504614	504622	504630
213721	504606	504616	504624	504634
213722	504609	504617	504626	504635

Numbers in assortment



	DIA. NO. 4-40 3/32 Key	DIA. NO. 6-32 3/32 Key	DIA. NO. 8-32 3/32 Key	DIA. NO. 10-24 1/8 Key	DIA. NO. 10-32 1/8 Key	DIA. NO. 1/4-20 5/32 Key	DIA. 5/16-18 3/16 Key	DIA. 3/8-16 7/32 Key								
LENGTH	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER	PART NUMBER								
1/4	504601	25	504604	25	504608	25	---	-	---	-	---	-	---	-		
3/8	504602	25	504605	25	504609	25	504613	25	504618	25	504623	25	---	-	---	-
1/2	504603	25	504606	25	504610	25	504614	25	504619	25	504624	25	504628	25	504632	25
5/8	---	-	504607	25	504611	25	504615	25	504620	25	504625	25	504629	25	504633	25
3/4	---	-	---	-	504612	25	504616	25	504621	25	504626	25	504630	25	504634	25
1	---	-	---	-	---	-	504617	25	504622	25	504627	25	504631	25	504635	25
1-1/4	---	-	---	-	---	-	---	-	---	-	---	-	---	-	504636	25
1-1/2	---	-	---	-	---	-	---	-	---	-	---	-	---	-	---	-
KEY #	213716		213716		213716		213718		213718		213720		213721		213722	